

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC072423AL\
 Data File : FC064252.D
 Signal(s) : FID1A.ch
 Acq On : 24 Jul 2023 12:45
 Operator : YP/AJ
 Sample : 20 PPM ALIPHATIC HC STD
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Jul 25 03:27:10 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 072323.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 24 01:54:49 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.512	3522212	19.743 ug/ml
Spiked Amount 50.000		Recovery =	39.49%
12) S 1-chlorooctadecane (S...	12.947	2464631	19.543 ug/ml
Spiked Amount 50.000		Recovery =	39.09%
Target Compounds			
1) T n-Nonane (C9)	3.303	3275269	20.185 ug/ml
2) T n-Decane (C10)	4.364	3299969	20.181 ug/ml
3) T A~Naphthalene (C11.7)	5.944	3300458	20.336 ug/ml
4) T n-Dodecane (C12)	6.376	3285129	20.123 ug/ml
5) T A~2-methylnaphthalene...	6.999	3103173	20.366 ug/ml
6) T n-Tetradecane (C14)	8.166	3149876	20.062 ug/ml
7) T n-Hexadecane (C16)	9.762	3139054	19.964 ug/ml
8) T n-Octadecane (C18)	11.199	3118333	19.682 ug/ml
10) T n-Eicosane (C20)	12.504	2936363	19.675 ug/ml
11) T n-Heneicosane (C21)	13.114	2873503	19.688 ug/ml
13) T n-Docosane (C22)	13.698	2819207	19.753 ug/ml
14) T n-Tetracosane (C24)	14.797	2778375	19.780 ug/ml
15) T n-Hexacosane (C26)	15.812	2729949	19.880 ug/ml
16) T n-Octacosane (C28)	16.759	2680873	19.992 ug/ml
17) T n-Tricontane (C30)	17.644	2725634	19.637 ug/ml
18) T n-Dotriacontane (C32)	18.473	2702052	19.201 ug/ml
19) T n-Tetratriacontane (C34)	19.254	2682551	19.321 ug/ml
20) T n-Hexatriacontane (C36)	19.991	2627780	19.367 ug/ml
21) T n-Octatriacontane (C38)	20.714	2607996	19.228 ug/ml
22) T n-Tetracontane (C40)	21.598	2499412	18.607 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC072423AL\
Data File : FC064252.D
Signal(s) : FID1A.ch
Acq On : 24 Jul 2023 12:45
Operator : YP/AJ
Sample : 20 PPM ALIPHATIC HC STD
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :

Integration File: autoint1.e
Quant Time: Jul 25 03:27:10 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 072323.M
Quant Title : GC Extractables
QLast Update : Mon Jul 24 01:54:49 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.303 min
Delta R.T.: 0.003 min
Response: 3275269
Conc: 20.19 ug/ml

Instrument :
FID_C
ClientSampleId :




#2 n-Decane (C10)

R.T.: 4.364 min
Delta R.T.: 0.002 min
Response: 3299969
Conc: 20.18 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.944 min
Delta R.T.: 0.000 min
Response: 3300458
Conc: 20.34 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.376 min
Delta R.T.: 0.000 min
Response: 3285129
Conc: 20.12 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.999 min
Delta R.T.: 0.000 min
Response: 3103173
Conc: 20.37 ug/ml

Instrument :
FID_C
ClientSampleId :




#6 n-Tetradecane (C14)

R.T.: 8.166 min
Delta R.T.: 0.000 min
Response: 3149876
Conc: 20.06 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.762 min
Delta R.T.: 0.000 min
Response: 3139054
Conc: 19.96 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.199 min
Delta R.T.: -0.003 min
Response: 3118333
Conc: 19.68 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.512 min
Delta R.T.: -0.001 min
Response: 3522212
Conc: 19.74 ug/ml

Instrument :
FID_C
ClientSampleId :




#10 n-Eicosane (C20)

R.T.: 12.504 min
Delta R.T.: -0.001 min
Response: 2936363
Conc: 19.68 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.114 min
Delta R.T.: -0.002 min
Response: 2873503
Conc: 19.69 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.947 min
Delta R.T.: 0.000 min
Response: 2464631
Conc: 19.54 ug/ml



#13 n-Docosane (C22)


R.T.: 13.698 min
Delta R.T.: -0.001 min
Response: 2819207
Conc: 19.75 ug/ml

Instrument :
FID_C
ClientSampleId :




#14 n-Tetracosane (C24)

R.T.: 14.797 min
Delta R.T.: 0.000 min
Response: 2778375
Conc: 19.78 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.812 min
Delta R.T.: -0.004 min
Response: 2729949
Conc: 19.88 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.759 min
Delta R.T.: -0.003 min
Response: 2680873
Conc: 19.99 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.644 min
Delta R.T.: -0.003 min
Response: 2725634
Conc: 19.64 ug/ml

Instrument :
FID_C
ClientSampleId :




#18 n-Dotriacontane (C32)

R.T.: 18.473 min
Delta R.T.: -0.003 min
Response: 2702052
Conc: 19.20 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.254 min
Delta R.T.: -0.004 min
Response: 2682551
Conc: 19.32 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.991 min
Delta R.T.: -0.005 min
Response: 2627780
Conc: 19.37 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.714 min
Delta R.T.: 0.000 min
Response: 2607996
Conc: 19.23 ug/ml

Instrument :
FID_C
ClientSampleId :



#22 n-Tetracontane (C40)

R.T.: 21.598 min
Delta R.T.: 0.000 min
Response: 2499412
Conc: 18.61 ug/ml