

Instrument :
FID_C
ClientSampleId :
TP-2MS

rteres

Area Percent Report

Manual Integrations
APPROVED

mohammad
8/5/2021 3:01:49 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC080421AL\
Data File : FC054999.D
Signal(s) : FID1A.CH
Acq On : 04 Aug 2021 19:05
Sample : M3271-04MS
Misc :
ALS Vial : 10 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 080321.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.140	3.115	3.241	BB	428117	3745733	33.01%	1.806%
2	4.188	4.158	4.206	BV	472450	4248653	37.44%	2.048%
3	4.224	4.206	4.345	VB	472857	4608765	40.61%	2.222%
4	5.750	5.725	5.846	BV	433555	4818420	42.46%	2.323%
5	6.188	6.151	6.285	BB	483518	4881933	43.02%	2.353%
6	6.800	6.768	6.958	BB	424376	5028182	44.31%	2.424%
7	7.410	7.385	7.568	BB	474539	5373719	47.36%	2.590%
8	7.974	7.911	8.045	BV	514090	5381666	47.43%	2.594%
9	8.071	8.045	8.221	VB	527683	5788249	51.01%	2.790%
10	8.273	8.241	8.338	BV	306132	3619795	31.90%	1.745%
11	8.366	8.338	8.528	VB	564924	6186490	54.52%	2.982%
12	9.148	9.105	9.318	BB	529139	6025381	53.10%	2.905%
13	9.566	9.368	9.668	BB	509165	5786525	50.99%	2.789%
14	10.544	10.485	10.598	BV	533908	6131513	54.03%	2.956%
15	10.621	10.598	10.791	VB	494755	6145113	54.15%	2.962%
16	11.002	10.958	11.105	BB	532631	6097915	53.74%	2.940%
17	11.304	11.251	11.415	BB	403725	4540489	40.01%	2.189%
18	12.306	12.228	12.331	BV	505165	5952961	52.46%	2.870%
19	12.357	12.331	12.511	VB	527335	6250543	55.08%	3.013%
20	12.653	12.618	12.715	BV	538424	6283928	55.38%	3.029%
21	12.745	12.715	12.865	VB	301113	3586219	31.60%	1.729%
22	12.915	12.871	12.998	BB	482663	5916297	52.14%	2.852%
23	13.499	13.368	13.585	BB	471113	5871740	51.74%	2.831%
24	14.533	14.481	14.554	BV	465671	5627984	49.60%	2.713%
25	14.598	14.554	14.721	VB	481779	11347709	100.00%	5.470%
26	15.618	15.541	15.698	BB	430651	5588708	49.25%	2.694%
27	16.092	16.011	16.108	BV	426365	5580056	49.17%	2.690%
28	16.124	16.108	16.245	VB	418265	5470739	48.21%	2.637%
29	16.473	16.401	16.527	BV	379007	5162331	45.49%	2.489%
30	16.563	16.527	16.701	VB	418884	5669349	49.96%	2.733%
31	17.450	17.378	17.511	BB	380666	5113967	45.07%	2.465%
32	17.881	17.811	18.055	BB	350035	9524653	83.93%	4.591%
33	18.104	18.056	18.228	BV	326451	4775942	42.09%	2.302%
34	18.279	18.228	18.396	VB	326772	4840259	42.65%	2.333%
35	19.059	19.003	19.123	BV	297796	4436474	39.10%	2.139%
36	19.797	19.730	19.870	BV	283867	4123053	36.33%	1.988%

					rters			
37	20.499	20.376	20.570	BB	246873	3923329	34.57%	1.891%
38	21.305	21.243	21.430	BB	182754	3988919	35.15%	1.923%
					Sum of corrected areas:		207443699	

Alaphatic EPH 080321.M Thu Aug 05 09:59:23 2021

Instrument :
FID_C
ClientSampleId :
TP-2MS

Manual Integrations
APPROVED

mohammad
8/5/2021 3:01:49 PM