

rteres

Instrument :

FID_C

ClientSampleId :

PB163487BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/19/2024

Supervised By :Ankita Jodhani 09/19/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC09182
Data File : FC067158.D
Signal(s) : FID1A.ch
Acq On : 18 Sep 2024 20:51
Sample : PB163487BSD
Misc :
ALS Vial : 21 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.288	3.259	3.377	BB	614848	5181499	80.78%	2.538%
2	4.349	4.297	4.368	BV	629370	5652606	88.12%	2.768%
3	4.388	4.368	4.477	VB	650905	5830280	90.89%	2.855%
4	5.925	5.862	6.030	BB	667229	6272368	97.78%	3.072%
5	6.362	6.294	6.449	BB	585899	5942790	92.65%	2.910%
6	6.980	6.930	7.090	BB	580445	5752472	89.68%	2.817%
7	8.157	8.094	8.227	BB	580859	6243164	97.33%	3.057%
8	8.259	8.227	8.337	BB	595412	5951379	92.78%	2.915%
9	8.557	8.522	8.655	VB	608918	6414487	100.00%	3.141%
10	9.338	9.269	9.452	BB	564764	6101062	95.11%	2.988%
11	9.755	9.714	9.812	BB	588168	6233714	97.18%	3.053%
12	10.737	10.659	10.778	BV	546967	5761253	89.82%	2.821%
13	10.814	10.778	10.967	VB	486854	5747027	89.59%	2.814%
14	11.196	11.154	11.272	PV	515635	6188172	96.47%	3.031%
15	11.508	11.447	11.579	BB	530215	5980782	93.24%	2.929%
16	12.504	12.439	12.527	BV	505846	6134867	95.64%	3.004%
17	12.553	12.527	12.662	VB	499196	5679769	88.55%	2.782%
18	12.852	12.779	12.885	BV	533493	6080932	94.80%	2.978%
19	13.115	13.052	13.200	BB	462218	5856834	91.31%	2.868%
20	13.700	13.635	13.784	BB	445270	5754506	89.71%	2.818%
21	14.727	14.662	14.747	BV	390549	5209381	81.21%	2.551%
22	14.772	14.747	14.785	VV	436449	5500799	85.76%	2.694%
23	14.802	14.785	14.935	VB	433936	5676317	88.49%	2.780%
24	15.823	15.742	15.887	BB	418432	5545774	86.46%	2.716%
25	16.282	16.209	16.298	BV	338408	5259189	81.99%	2.576%
26	16.317	16.298	16.450	VB	438189	5422538	84.54%	2.656%
27	16.661	16.612	16.699	BBA	349360	4798183	74.80%	2.350%
28	16.771	16.700	16.897	BB	390991	5334379	83.16%	2.612%
29	17.659	17.600	17.734	BB	396029	5487206	85.54%	2.687%
30	18.029	17.979	18.045	BV	279341	4341433	67.68%	2.126%
31	18.069	18.045	18.234	VV	306095	4810160	74.99%	2.356%
32	18.285	18.234	18.450	VBA	294853	4466430	69.63%	2.187%
33	18.490	18.450	18.595	BB	373172	5421264	84.52%	2.655%
34	19.272	19.200	19.344	BB	333109	5271730	82.18%	2.582%
35	20.011	19.955	20.099	BB	305008	4821811	75.17%	2.361%
36	20.736	20.670	20.842	BB	246030	4404095	68.66%	2.157%

37 21.625 21.560 21.749 BBA 143800 3663920 57.12% 1.794%
rteres
Sum of corrected areas: 2045

Aliphatic EPH 091024.M Thu Sep 19 04:43:29 2024

Instrument :

FID_C

ClientSampleId :

PB163487BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/19/2024
Supervised By :Ankita Jodhani 09/19/2024