

rteres

Instrument :

FID_C

ClientSampleId :

PB147892BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/27/2022
Supervised By :Ankita Jodhani 09/27/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC09262
Data File : FC061617.D
Signal(s) : FID1A.ch
Acq On : 26 Sep 2022 16:35
Sample : PB147892BSD
Misc :
ALS Vial : 9 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 092022.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.328	3.302	3.388	BB	642282	5330162	68.81%	2.200%
2	4.395	4.363	4.415	BV	632160	5742282	74.13%	2.371%
3	4.435	4.415	4.488	VB	666889	5868081	75.75%	2.422%
4	5.977	5.937	6.010	BV	707418	6467862	83.49%	2.670%
5	6.412	6.340	6.463	BB	628972	6204380	80.09%	2.561%
6	7.035	6.993	7.097	BB	664492	6434328	83.06%	2.656%
7	7.650	7.575	7.698	BB	772153	7746720	100.00%	3.198%
8	8.213	8.138	8.247	BB	608930	6352650	82.00%	2.622%
9	8.319	8.268	8.372	BB	636923	6338669	81.82%	2.617%
10	8.519	8.448	8.575	BB	524209	5381459	69.47%	2.222%
11	8.618	8.577	8.660	BB	667778	6743368	87.05%	2.784%
12	9.401	9.337	9.437	BB	634198	6730682	86.88%	2.779%
13	9.814	9.740	9.875	BB	587935	6517516	84.13%	2.691%
14	10.804	10.710	10.840	BV	618493	6808148	87.88%	2.811%
15	10.880	10.840	10.907	PB	628792	6804737	87.84%	2.809%
16	11.257	11.208	11.312	BB	585047	6701752	86.51%	2.767%
17	11.572	11.507	11.618	BB	618634	7080164	91.40%	2.923%
18	12.566	12.525	12.591	PV	560281	6617959	85.43%	2.732%
19	12.623	12.591	12.650	VB	570578	6587537	85.04%	2.719%
20	12.921	12.857	12.948	BV	570962	6562204	84.71%	2.709%
21	13.009	12.948	13.047	VB	453468	5700293	73.58%	2.353%
22	13.178	13.110	13.235	BB	532965	6599002	85.18%	2.724%
23	13.764	13.725	13.803	VB	533785	6546913	84.51%	2.703%
24	14.800	14.725	14.819	BV	456296	6246036	80.63%	2.578%
25	14.845	14.819	14.856	VV	549600	6795661	87.72%	2.805%
26	14.867	14.856	14.917	VB	492476	5691785	73.47%	2.350%
27	15.890	15.735	15.943	BB	470054	6314184	81.51%	2.607%
28	16.356	16.278	16.371	BV	393636	5862912	75.68%	2.420%
29	16.390	16.371	16.427	VB	451430	5506495	71.08%	2.273%
30	16.735	16.655	16.770	BV	391321	5138148	66.33%	2.121%
31	16.838	16.770	16.903	VB	421826	6131094	79.14%	2.531%
32	17.726	17.530	17.772	BB	403081	5799985	74.87%	2.394%
33	18.107	18.028	18.123	BV	367941	5365058	69.26%	2.215%
34	18.146	18.123	18.183	VB	400104	5137582	66.32%	2.121%
35	18.365	18.275	18.417	BB	383473	5219818	67.38%	2.155%
36	18.557	18.420	18.627	BB	387178	5573705	71.95%	2.301%

						rters		
37	19.340	19.263	19.380	BV	358846	5206971	67.22%	2.150%
38	20.080	20.030	20.180	BV	319687	4957896	64	
39	20.814	20.762	20.861	VV	250369	4593518	59	
40	21.724	21.653	21.868	VV	184449	4831279	62	

Sum of corrected areas: 2422

Instrument :
FID_C
ClientSampleId :
PB147892BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/27/2022
Supervised By :Ankita Jodhani 09/27/2022

Aliphatic EPH 092022.M Tue Sep 27 10:58:27 2022