

rteres

Instrument :

FID_C

ClientSampleId :

PB147962BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC09282
 Data File : FC061655.D
 Signal(s) : FID1A.ch
 Acq On : 28 Sep 2022 18:26
 Sample : PB147962BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/29/2022
 Supervised By :Ankita Jodhani 09/29/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 092022.M
 Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.332	3.302	3.399	BB	652506	5327995	79.75%	2.343%
2	4.398	4.364	4.418	BV	647719	5709641	85.46%	2.511%
3	4.439	4.418	4.482	VB	659250	5698283	85.29%	2.506%
4	5.981	5.945	6.015	BV	699051	6383473	95.55%	2.807%
5	6.415	6.370	6.465	BB	622006	6254098	93.61%	2.750%
6	7.038	6.997	7.097	BB	640324	6418558	96.07%	2.822%
7	7.652	7.614	7.707	BB	686795	6639637	99.38%	2.920%
8	8.215	8.149	8.257	BB	587111	6340575	94.90%	2.788%
9	8.322	8.279	8.365	BB	624198	6271471	93.87%	2.758%
10	8.521	8.484	8.575	BB	452251	4578512	68.53%	2.013%
11	8.621	8.582	8.667	BB	658156	6680974	100.00%	2.938%
12	9.404	9.364	9.440	BB	627696	6598582	98.77%	2.901%
13	9.816	9.692	9.865	BB	580385	6432135	96.28%	2.828%
14	10.809	10.669	10.847	BV	585963	6550014	98.04%	2.880%
15	10.884	10.847	10.935	VV	617994	6507702	97.41%	2.861%
16	11.260	11.210	11.294	BB	551286	6493217	97.19%	2.855%
17	11.576	11.530	11.622	BB	600428	6466683	96.79%	2.843%
18	12.570	12.527	12.596	VV	526455	6305629	94.38%	2.773%
19	12.628	12.596	12.659	VB	540705	6091943	91.18%	2.679%
20	12.926	12.880	12.954	BV	515694	6019846	90.10%	2.647%
21	13.014	12.954	13.069	VB	434080	5316766	79.58%	2.338%
22	13.182	13.140	13.225	BB	497665	6236449	93.35%	2.742%
23	13.769	13.679	13.815	BB	475174	6146591	92.00%	2.703%
24	14.806	14.724	14.825	BV	418612	5535203	82.85%	2.434%
25	14.850	14.825	14.861	VV	483301	5892153	88.19%	2.591%
26	14.872	14.861	14.915	VB	452015	5253580	78.63%	2.310%
27	15.894	15.740	15.952	BB	431725	5707635	85.43%	2.510%
28	16.362	16.284	16.378	BV	353183	5294431	79.25%	2.328%
29	16.397	16.378	16.430	VB	429679	4894359	73.26%	2.152%
30	16.741	16.662	16.779	BV	361904	4657924	69.72%	2.048%
31	16.842	16.779	16.909	VB	384883	5470845	81.89%	2.406%
32	17.731	17.677	17.769	BB	369988	5161309	77.25%	2.269%
33	18.114	18.029	18.129	BV	339669	5089667	76.18%	2.238%
34	18.151	18.129	18.182	VB	343841	4705510	70.43%	2.069%
35	18.372	18.282	18.405	BB	352200	4989480	74.68%	2.194%
36	18.563	18.487	18.610	BB	331126	4979288	74.53%	2.189%

					rters				
37	19.345	19.264	19.385	BB	332705	4838964	72.43%	2.128%	
38	20.084	20.030	20.135	BB	298260	4504185	67		
39	20.821	20.552	20.897	BB	241377	4531600	67		
40	21.734	21.625	21.804	BB	177414	4448600	66		

Sum of corrected areas: 2274

Instrument :
FID_C
ClientSampleId :
PB147962BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/29/2022
Supervised By :Ankita Jodhani 09/29/2022

Aliphatic EPH 092022.M Thu Sep 29 09:52:58 2022