

Instrument :
FID_C
ClientSampleId :
SB-3(6.5-7.0)MSD

rteres

Area Percent Report

Manual Integrations
APPROVED

mohammad
10/12/2021 9:43:01 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC100821AL\
Data File : FC056073.D
Signal(s) : FID1A.CH
Acq On : 08 Oct 2021 23:06
Sample : M4117-09MSD
Misc :
ALS Vial : 19 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 092921.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.398	3.361	3.444	BB	481649	3739565	36.19%	1.878%
2	4.466	4.436	4.489	BV	546018	4733482	45.81%	2.377%
3	4.510	4.489	4.572	VB	506781	4498804	43.54%	2.259%
4	6.057	5.999	6.085	BV	560538	5061658	48.99%	2.542%
5	6.104	6.085	6.167	VB	41376	439469	4.25%	0.221%
6	6.484	6.442	6.534	BB	539001	5127094	49.62%	2.575%
7	7.115	7.074	7.172	BB	517194	4978950	48.18%	2.500%
8	7.724	7.682	7.777	BB	557528	5316775	51.45%	2.670%
9	8.281	8.226	8.324	BB	525209	5259346	50.90%	2.641%
10	8.399	8.366	8.454	BB	533873	5198823	50.31%	2.611%
11	8.597	8.561	8.644	BB	345228	3536115	34.22%	1.776%
12	8.697	8.662	8.747	BB	531863	5400077	52.26%	2.712%
13	9.481	9.442	9.542	BB	517209	5227013	50.59%	2.625%
14	9.881	9.831	9.929	BB	508463	5460233	52.84%	2.742%
15	10.886	10.822	10.929	BV	484827	5260932	50.91%	2.642%
16	10.962	10.929	11.011	VV	490465	5247770	50.79%	2.635%
17	11.322	11.286	11.369	BB	511277	5751178	55.66%	2.888%
18	11.644	11.597	11.694	BB	418420	4418525	42.76%	2.219%
19	12.232	12.207	12.266	BB	13372	135257	1.31%	0.068%
20	12.632	12.591	12.666	BV	490475	5538762	53.60%	2.781%
21	12.708	12.666	12.761	PB	445798	5245047	50.76%	2.634%
22	13.008	12.941	13.039	BV	446001	5238353	50.70%	2.630%
23	13.076	13.039	13.134	VB	303559	3467351	33.56%	1.741%
24	13.243	13.204	13.291	BB	455688	5256938	50.88%	2.640%
25	13.828	13.789	13.879	BB	458462	5384992	52.11%	2.704%
26	14.886	14.841	14.904	BV	374972	5099816	49.35%	2.561%
27	14.930	14.904	14.996	VB	883769	10333011	100.00%	5.189%
28	15.950	15.877	15.994	BB	412765	5254874	50.86%	2.639%
29	16.446	16.327	16.461	BV	345861	5270787	51.01%	2.647%
30	16.480	16.461	16.541	VB	427889	5137278	49.72%	2.580%
31	16.829	16.777	16.860	BV	379852	5118973	49.54%	2.570%
32	16.897	16.860	16.991	VB	390924	5375538	52.02%	2.699%
33	17.783	17.712	17.824	BB	394939	5124893	49.60%	2.573%
34	18.199	18.126	18.213	BV	323616	4865779	47.09%	2.443%
35	18.236	18.213	18.319	VB	393269	5015953	48.54%	2.519%
36	18.459	18.386	18.536	BB	352011	4958549	47.99%	2.490%

					rt	Area	%Area	%Area
37	18.610	18.539	18.662	BB	371115	5051300	48.89%	2.536%
38	19.391	19.327	19.444	BB	340222	4807243	46.52%	2.414%
39	20.127	20.057	20.162	BB	320235	4476459	43.32%	2.248%
40	20.870	20.797	20.929	BB	238588	4191095	40.56%	2.105%
41	21.796	21.711	21.879	BB	176007	4141267	40.08%	2.080%
Sum of corrected areas:						199145321		

Instrument :
FID_C
ClientSampleId :
SB-3(6.5-7.0)MSD

Manual Integrations
APPROVED

mohammad
10/12/2021 9:43:01 AM

Aliphatic EPH 092921.M Mon Oct 11 13:27:01 2021