

Instrument :

FID_C

ClientSampleId :

PB163971BS

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC10082

Data File : FC067389.D

Signal(s) : FID1A.ch

Acq On : 08 Oct 2024 15:56

Sample : PB163971BS

Misc :

ALS Vial : 12 Sample Multiplier: 1

Reviewed By :Yogesh Patel 10/09/2024

Supervised By :Ankita Jodhani 10/09/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 100224.M

Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.285	3.252	3.349	BB	495628	4216112	69.98%	2.207%
2	4.347	4.310	4.366	BV	489952	4404186	73.10%	2.305%
3	4.386	4.366	4.457	VB	545856	4773839	79.24%	2.499%
4	5.923	5.860	6.002	BB	542266	5083168	84.37%	2.660%
5	6.360	6.302	6.419	BB	446936	4519123	75.01%	2.365%
6	6.979	6.917	7.072	BB	495829	4875293	80.92%	2.552%
7	8.155	8.092	8.210	BB	465981	4864674	80.75%	2.546%
8	8.258	8.220	8.329	BB	529881	5256901	87.26%	2.751%
9	8.555	8.522	8.635	VB	539346	5531145	91.81%	2.895%
10	9.337	9.299	9.439	BB	535702	5727565	95.07%	2.998%
11	9.753	9.712	9.810	BB	479298	5315050	88.22%	2.782%
12	10.737	10.649	10.779	BV	531254	5805327	96.36%	3.038%
13	10.813	10.779	10.927	VB	531020	5864871	97.35%	3.070%
14	11.194	11.159	11.250	BB	461663	5451523	90.49%	2.853%
15	11.506	11.440	11.560	BB	526496	5821883	96.64%	3.047%
16	12.502	12.464	12.525	BV	446950	5501310	91.31%	2.879%
17	12.553	12.525	12.642	VB	490442	5720588	94.95%	2.994%
18	12.852	12.804	12.884	BV	506865	6024581	100.00%	3.153%
19	12.944	12.914	13.005	VB	383910	4586627	76.13%	2.401%
20	13.113	13.070	13.180	BB	421522	5277749	87.60%	2.762%
21	13.698	13.659	13.760	BB	411036	5236373	86.92%	2.741%
22	14.728	14.677	14.748	BV	418275	5491348	91.15%	2.874%
23	14.773	14.748	14.786	VV	469201	5805470	96.36%	3.038%
24	14.800	14.786	14.867	VB	404967	4897705	81.30%	2.563%
25	15.822	15.749	15.880	BB	399602	5096603	84.60%	2.667%
26	16.284	16.222	16.300	BV	354580	5468445	90.77%	2.862%
27	16.319	16.300	16.357	VV	463524	5471211	90.81%	2.864%
28	16.664	16.592	16.705	BV	401861	5306297	88.08%	2.777%
29	16.769	16.705	16.840	VB	371413	5075368	84.24%	2.656%
30	17.656	17.590	17.717	BB	357781	5077231	84.28%	2.657%
31	18.034	17.949	18.050	BV	379953	5743000	95.33%	3.006%
32	18.074	18.050	18.175	VB	386929	5455929	90.56%	2.856%
33	18.291	18.217	18.375	BB	361972	5248452	87.12%	2.747%
34	18.486	18.419	18.530	BB	328440	4853042	80.55%	2.540%
35	19.269	19.179	19.327	BB	283129	4272732	70.92%	2.236%
36	20.007	19.695	20.047	BB	214506	3189489	52.94%	1.669%

rters
37 20.731 20.632 20.820 BB 147033 2586198 42.93% 1.354%
38 21.621 21.535 21.727 BV 93438 2170661 36
Sum of corrected areas: 1910

Aliphatic EPH 100224.M Wed Oct 09 03:23:07 2024

Instrument :
FID_C
ClientSampleId :
PB163971BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/09/2024
Supervised By :Ankita Jodhani 10/09/2024