

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC101623AL\
 Data File : FC064832.D
 Signal(s) : FID1A.ch
 Acq On : 16 Oct 2023 08:58
 Operator : YP/AJ
 Sample : 20 PPM ALIPHATIC HC STD
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Oct 17 01:05:11 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 101023.M
 Quant Title : GC Extractables
 QLast Update : Tue Oct 10 12:17:45 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.520	4672185	21.882 ug/ml
Spiked Amount 50.000		Recovery =	43.76%
12) S 1-chlorooctadecane (S...	12.953	3138903	20.934 ug/ml
Spiked Amount 50.000		Recovery =	41.87%
Target Compounds			
1) T n-Nonane (C9)	3.318	3983327	21.687 ug/ml
2) T n-Decane (C10)	4.378	4034067	22.053 ug/ml
3) T A~Naphthalene (C11.7)	5.960	4167818	21.975 ug/ml
4) T n-Dodecane (C12)	6.388	4119899	22.103 ug/ml
5) T A~2-methylnaphthalene...	7.015	3916948	22.366 ug/ml
6) T n-Tetradecane (C14)	8.176	3989440	22.213 ug/ml
7) T n-Hexadecane (C16)	9.771	3976257	22.353 ug/ml
8) T n-Octadecane (C18)	11.207	3990880	22.240 ug/ml
10) T n-Eicosane (C20)	12.510	3784350	21.978 ug/ml
11) T n-Heneicosane (C21)	13.120	3690555	21.792 ug/ml
13) T n-Docosane (C22)	13.703	3582251	21.741 ug/ml
14) T n-Tetracosane (C24)	14.801	3427345	21.534 ug/ml
15) T n-Hexacosane (C26)	15.817	3277763	21.397 ug/ml
16) T n-Octacosane (C28)	16.764	3173026	21.532 ug/ml
17) T n-Tricontane (C30)	17.646	3203481	21.895 ug/ml
18) T n-Dotriacontane (C32)	18.474	3154298	21.845 ug/ml
19) T n-Tetratriacontane (C34)	19.256	2994465	21.282 ug/ml
20) T n-Hexatriacontane (C36)	19.992	2786307	20.139 ug/ml
21) T n-Octatriacontane (C38)	20.712	2449359	18.491 ug/ml
22) T n-Tetracontane (C40)	21.596	2009542	16.057 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC101623AL\
Data File : FC064832.D
Signal(s) : FID1A.ch
Acq On : 16 Oct 2023 08:58
Operator : YP/AJ
Sample : 20 PPM ALIPHATIC HC STD
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :

Integration File: autoint1.e
Quant Time: Oct 17 01:05:11 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 101023.M
Quant Title : GC Extractables
QLast Update : Tue Oct 10 12:17:45 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.318 min
Delta R.T.: -0.004 min
Response: 3983327
Conc: 21.69 ug/ml

Instrument :
FID_C
ClientSampleId :




#2 n-Decane (C10)

R.T.: 4.378 min
Delta R.T.: -0.004 min
Response: 4034067
Conc: 22.05 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.960 min
Delta R.T.: -0.015 min
Response: 4167818
Conc: 21.97 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.388 min
Delta R.T.: -0.004 min
Response: 4119899
Conc: 22.10 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.015 min
Delta R.T.: -0.022 min
Response: 3916948
Conc: 22.37 ug/ml

Instrument :
FID_C
ClientSampleId :




#6 n-Tetradecane (C14)

R.T.: 8.176 min
Delta R.T.: -0.003 min
Response: 3989440
Conc: 22.21 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.771 min
Delta R.T.: -0.004 min
Response: 3976257
Conc: 22.35 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.207 min
Delta R.T.: -0.001 min
Response: 3990880
Conc: 22.24 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.520 min
Delta R.T.: 0.000 min
Response: 4672185
Conc: 21.88 ug/ml

Instrument :
FID_C
ClientSampleId :




#10 n-Eicosane (C20)

R.T.: 12.510 min
Delta R.T.: -0.002 min
Response: 3784350
Conc: 21.98 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.120 min
Delta R.T.: 0.000 min
Response: 3690555
Conc: 21.79 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.953 min
Delta R.T.: -0.002 min
Response: 3138903
Conc: 20.93 ug/ml



#13 n-Docosane (C22)


R.T.: 13.703 min
Delta R.T.: 0.000 min
Response: 3582251
Conc: 21.74 ug/ml

Instrument :
FID_C
ClientSampleId :




#14 n-Tetracosane (C24)

R.T.: 14.801 min
Delta R.T.: -0.003 min
Response: 3427345
Conc: 21.53 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.817 min
Delta R.T.: -0.001 min
Response: 3277763
Conc: 21.40 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.764 min
Delta R.T.: 0.002 min
Response: 3173026
Conc: 21.53 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.646 min
Delta R.T.: 0.000 min
Response: 3203481
Conc: 21.89 ug/ml

Instrument :
FID_C
ClientSampleId :




#18 n-Dotriacontane (C32)

R.T.: 18.474 min
Delta R.T.: -0.003 min
Response: 3154298
Conc: 21.85 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.256 min
Delta R.T.: 0.001 min
Response: 2994465
Conc: 21.28 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.992 min
Delta R.T.: 0.000 min
Response: 2786307
Conc: 20.14 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.712 min
Delta R.T.: 0.000 min
Response: 2449359
Conc: 18.49 ug/ml

Instrument :
FID_C
ClientSampleId :



#22 n-Tetracontane (C40)

R.T.: 21.596 min
Delta R.T.: 0.000 min
Response: 2009542
Conc: 16.06 ug/ml