

rteres

Instrument :
FID_C
ClientSampleId :
LOD-MDL-WATER-01-QT4-2022
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/19/2022
Supervised By :Ankita Jodhani 10/20/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC10192
Data File : FC061848.D
Signal(s) : FID1A.ch
Acq On : 19 Oct 2022 10:25
Sample : N4955-07
Misc : 2.5 PPM WATER LOD
ALS Vial : 6 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 101722.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.344	3.300	3.384	BB	24064	203239	5.63%	2.031%
2	4.409	4.302	4.455	BB	28109	263927	7.31%	2.638%
3	6.425	6.367	6.455	BB	35647	344735	9.54%	3.445%
4	8.221	8.084	8.262	BB	30372	323820	8.96%	3.236%
5	9.822	9.702	9.874	BB	27877	310997	8.61%	3.108%
6	11.265	11.230	11.294	BB	28010	330889	9.16%	3.307%
7	12.575	12.539	12.615	BV	28697	341323	9.45%	3.411%
8	13.021	12.955	13.062	BB	295841	3612108	100.00%	36.101%
9	13.186	13.142	13.222	BB	25659	333206	9.22%	3.330%
10	13.773	13.745	13.807	VB	29689	364654	10.10%	3.644%
11	14.876	14.769	14.917	BB	32171	452905	12.54%	4.527%
12	15.896	15.824	15.944	BB	32129	429143	11.88%	4.289%
13	16.846	16.792	16.899	BB	31166	436323	12.08%	4.361%
14	17.734	17.690	17.769	BB	33938	470206	13.02%	4.699%
15	18.565	18.510	18.620	BB	30602	461278	12.77%	4.610%
16	19.349	19.310	19.385	BV	26914	395903	10.96%	3.957%
17	20.088	20.030	20.119	BV	23177	341308	9.45%	3.411%
18	20.825	20.780	20.889	BB	16139	308963	8.55%	3.088%
19	21.738	21.660	21.810	BB	11115	280682	7.77%	2.805%
Sum of corrected areas:						10005609		

Aliphatic EPH 101722.M Wed Oct 19 16:26:33 2022