

Instrument :
FID_C
ClientSampleId :
COMP-2MS

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
10/28/2020 3:42:27 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102720AL\
Data File : FC050349.D
Signal(s) : FID1A.CH
Acq On : 27 Oct 2020 15:38
Sample : L4510-17MS
Misc :
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 100620.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.374	3.338	3.458	BB	412376	3544590	38.46%	2.011%
2	4.446	4.415	4.468	BV	434164	3865368	41.94%	2.193%
3	4.490	4.468	4.585	VB	453763	4066926	44.13%	2.308%
4	6.038	6.008	6.161	BB	434430	4323036	46.91%	2.453%
5	6.467	6.428	6.555	BB	427099	4060095	44.05%	2.304%
6	7.097	7.055	7.215	BV	431441	4369435	47.41%	2.479%
7	7.708	7.658	7.791	BB	486290	4913383	53.31%	2.788%
8	8.265	8.208	8.308	BV	407157	4263912	46.27%	2.420%
9	8.327	8.308	8.351	VV	14202	151600	1.64%	0.086%
10	8.381	8.351	8.501	VB	425712	4392954	47.67%	2.493%
11	8.581	8.548	8.647	BV	329711	3434664	37.27%	1.949%
12	8.679	8.647	8.795	VB	466441	4714005	51.15%	2.675%
13	9.464	9.428	9.571	BV	436642	4708766	51.09%	2.672%
14	9.865	9.821	9.945	BB	411423	4530083	49.15%	2.571%
15	10.658	10.631	10.741	VB	7987	108492	1.18%	0.062%
16	10.868	10.785	10.915	BV	453306	4858296	52.72%	2.757%
17	10.944	10.915	11.091	VB	426329	4820655	52.31%	2.735%
18	11.307	11.145	11.415	BB	423356	4763604	51.69%	2.703%
19	11.628	11.585	11.728	BB	384558	4173903	45.29%	2.368%
20	12.225	12.191	12.335	BB	25739	347928	3.78%	0.197%
21	12.617	12.575	12.655	BV	384462	4694367	50.94%	2.664%
22	12.690	12.655	12.811	VB	419916	4837014	52.48%	2.745%
23	12.990	12.945	13.024	BV	424061	4751945	51.56%	2.696%
24	13.061	13.024	13.188	VB	285157	3469006	37.64%	1.968%
25	13.228	13.188	13.301	BB	396693	4660918	50.57%	2.645%
26	13.461	13.401	13.548	BV	7899	142375	1.54%	0.081%
27	13.814	13.631	13.925	BB	403077	4675408	50.73%	2.653%
28	14.386	14.348	14.408	BV	8483	111732	1.21%	0.063%
29	14.434	14.408	14.531	VV	75626	995960	10.81%	0.565%
30	14.871	14.801	14.890	BV	362765	4498857	48.82%	2.553%
31	14.916	14.890	15.058	VB	711741	9216013	100.00%	5.230%
32	15.300	15.261	15.411	BV	13151	360627	3.91%	0.205%
33	15.939	15.876	16.036	VB	341507	4509755	48.93%	2.559%
34	16.433	16.383	16.449	BV	297975	4588698	49.79%	2.604%
35	16.465	16.449	16.536	VV	348472	4312756	46.80%	2.447%
36	16.814	16.771	16.848	VV	321841	4011890	43.53%	2.277%

					rters			
37	16.885	16.848	17.030	VB	325559	4649501	50.45%	2.638%
38	17.775	17.696	17.836	VV	330049	4433993	48.11%	2.516%
39	18.190	17.890	18.396	PV	306567	8894531	96.51%	5.047%
40	18.448	18.396	18.549	VV	317497	4472047	48.52%	2.538%
41	18.604	18.549	18.663	VV	295531	4292266	46.57%	2.436%
42	18.996	18.743	19.061	PV	3815	113423	1.23%	0.064%
43	19.387	19.236	19.433	BV	278069	4044046	43.88%	2.295%
44	20.124	20.077	20.164	M	271895	3744530	40.63%	2.125%
45	20.479	20.316	20.603	VB	2591	160060	1.74%	0.091%
46	20.869	20.816	21.011	VV	201889	3639862	39.49%	2.065%
47	21.802	21.630	21.890	BB	146890	3535660	38.36%	2.006%
					Sum of corrected areas:	176228933		

Instrument :
FID_C
ClientSampleId :
COMP-2MS

Manual Integrations
APPROVED

Ankita
10/28/2020 3:42:27 PM

Alaphatic EPH 100620.M Wed Oct 28 09:30:19 2020