

Instrument :
FID_C
ClientSampleId :
COMP-2MSD

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
10/28/2020 3:42:29 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC102720AL\
Data File : FC050350.D
Signal(s) : FID1A.CH
Acq On : 27 Oct 2020 16:16
Sample : L4510-17MSD
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Alaphatic EPH 100620.M
Title : GC Extractables

Signal : FID1A.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.374	3.335	3.465	BB	415755	3546984	38.75%	2.018%
2	4.446	4.408	4.468	BV	431919	3879078	42.38%	2.207%
3	4.490	4.468	4.578	VB	457702	4090265	44.68%	2.328%
4	6.038	5.991	6.161	BB	453051	4371900	47.76%	2.488%
5	6.467	6.431	6.548	BB	433843	4100358	44.79%	2.333%
6	7.097	7.055	7.215	BV	435390	4426756	48.36%	2.519%
7	7.708	7.551	7.838	BB	511455	5083717	55.53%	2.893%
8	8.264	8.188	8.308	BV	430866	4287695	46.84%	2.440%
9	8.327	8.308	8.351	VV	14502	151829	1.66%	0.086%
10	8.380	8.351	8.505	VB	432690	4426975	48.36%	2.519%
11	8.581	8.541	8.648	BV	336964	3551302	38.79%	2.021%
12	8.678	8.648	8.818	VB	473363	4751869	51.91%	2.704%
13	9.463	9.411	9.625	BB	437560	4735991	51.74%	2.695%
14	9.865	9.825	9.948	BB	419033	4513697	49.31%	2.568%
15	10.658	10.631	10.755	PB	7921	107918	1.18%	0.061%
16	10.868	10.778	10.915	BV	427723	4830640	52.77%	2.749%
17	10.944	10.915	11.091	VB	423125	4795444	52.39%	2.729%
18	11.307	11.145	11.415	BB	431649	4764076	52.04%	2.711%
19	11.628	11.585	11.735	BB	401614	4355241	47.58%	2.478%
20	12.225	12.195	12.325	BB	23748	330763	3.61%	0.188%
21	12.617	12.575	12.652	BV	395358	4702805	51.37%	2.676%
22	12.690	12.652	12.811	VB	429772	4789009	52.32%	2.725%
23	12.990	12.945	13.028	BV	407173	4700805	51.35%	2.675%
24	13.062	13.028	13.151	VB	294034	3603419	39.36%	2.050%
25	13.228	13.185	13.305	BB	385993	4660659	50.91%	2.652%
26	13.461	13.405	13.548	BV	7554	160210	1.75%	0.091%
27	13.814	13.770	13.846	M 373108	4616670	50.43%	2.627%	
28	14.388	14.348	14.408	BV	9061	111518	1.22%	0.063%
29	14.434	14.408	14.535	VV	76126	986975	10.78%	0.562%
30	14.872	14.801	14.891	BV	339034	4432542	48.42%	2.522%
31	14.916	14.891	15.065	VB	733986	9154153	100.00%	5.209%
32	15.302	15.261	15.411	BV	13302	356560	3.90%	0.203%
33	15.939	15.881	16.035	BB	337373	4457707	48.70%	2.537%
34	16.432	16.265	16.448	BV	303634	4487889	49.03%	2.554%
35	16.465	16.448	16.531	VV	352644	4249907	46.43%	2.418%
36	16.814	16.775	16.851	VV	307942	3938246	43.02%	2.241%

rteres								
37	16.886	16.851	17.025	VB	321319	4564682	49.86%	2.597%
38	17.773	17.691	17.835	PV	316256	4346491	47.48%	2.473%
39	18.189	17.895	18.206	BV	286782	4396376	48.03%	2.502%
40	18.223	18.206	18.338	VB	317826	4193520	45.81%	2.386%
41	18.448	18.348	18.541	BV	302932	4295497	46.92%	2.444%
42	18.604	18.541	18.661	VV	290524	4196232	45.84%	2.388%
43	19.386	19.281	19.438	BV	271344	4019245	43.91%	2.287%
44	19.757	19.438	19.841	VV	3111	83914	0.92%	0.048%
45	20.124	20.069	20.162	M	255414	3749649	40.96%	2.134%
46	20.285	20.175	20.401	VB	3337	212501	2.32%	0.121%
47	20.869	20.755	21.008	BB	211511	3611565	39.45%	2.055%
48	21.803	21.645	21.918	BB	145443	3554982	38.83%	2.023%
Sum of corrected areas:						175736228		

Instrument :
FID_C
ClientSampleId :
COMP-2MSD

Manual Integrations
APPROVED

Ankita
10/28/2020 3:42:29 PM

Alaphatic EPH 100620.M Wed Oct 28 09:31:05 2020