

rteres

Instrument :

FID_C

ClientSampleId :

PB164554BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC10312

Data File : FC067593.D

Signal(s) : FID1A.ch

Acq On : 31 Oct 2024 12:40

Sample : PB164554BS

Misc :

ALS Vial : 12 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/01/2024

Supervised By :Ankita Jodhani 11/04/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M

Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.282	3.247	3.352	BB	565224	4734852	85.51%	2.587%
2	4.343	4.310	4.361	BV	542499	4933779	89.10%	2.696%
3	4.381	4.361	4.457	VB	589751	5205845	94.01%	2.845%
4	5.917	5.857	6.027	BB	573894	5392155	97.38%	2.947%
5	6.354	6.303	6.425	BB	511639	5006968	90.42%	2.736%
6	6.971	6.922	7.077	BB	496194	4937651	89.17%	2.698%
7	8.147	8.112	8.210	BB	458350	4930345	89.04%	2.694%
8	8.249	8.210	8.312	BB	534216	5324931	96.16%	2.910%
9	8.545	8.513	8.637	VB	538943	5537509	100.00%	3.026%
10	9.327	9.260	9.435	BB	488046	5294489	95.61%	2.893%
11	9.744	9.705	9.813	BB	453254	4863339	87.83%	2.658%
12	10.725	10.647	10.768	BV	457969	5088061	91.88%	2.780%
13	10.800	10.768	10.942	VB	446194	5097145	92.05%	2.785%
14	11.183	11.143	11.267	BB	411667	4863273	87.82%	2.658%
15	11.495	11.452	11.562	BB	481273	5324356	96.15%	2.910%
16	12.491	12.450	12.514	BV	400736	4896727	88.43%	2.676%
17	12.540	12.514	12.643	VB	451026	4952208	89.43%	2.706%
18	12.836	12.767	12.873	BV	429462	4910725	88.68%	2.684%
19	12.932	12.902	12.995	VB	352821	4158273	75.09%	2.272%
20	13.101	13.062	13.173	BB	378668	4698272	84.84%	2.567%
21	13.687	13.592	13.755	BB	355596	4657030	84.10%	2.545%
22	14.711	14.650	14.731	BV	364944	4739352	85.59%	2.590%
23	14.754	14.731	14.770	VV	394832	4791151	86.52%	2.618%
24	14.788	14.770	14.880	VB	352616	4598848	83.05%	2.513%
25	15.808	15.740	15.868	BB	351107	4534393	81.89%	2.478%
26	16.266	16.213	16.281	BV	323292	4749978	85.78%	2.596%
27	16.299	16.281	16.347	VV	400365	4816508	86.98%	2.632%
28	16.645	16.597	16.702	BV	348545	4659764	84.15%	2.546%
29	16.755	16.702	16.832	VB	344917	4525749	81.73%	2.473%
30	17.642	17.588	17.707	BB	321251	4512829	81.50%	2.466%
31	18.014	17.963	18.030	BV	329032	4847359	87.54%	2.649%
32	18.054	18.030	18.155	VB	353849	4713748	85.12%	2.576%
33	18.269	18.195	18.372	BB	349804	4766037	86.07%	2.605%
34	18.471	18.398	18.533	BB	304792	4455367	80.46%	2.435%
35	19.253	19.182	19.322	BB	304366	4474309	80.80%	2.445%
36	19.992	19.915	20.063	BB	290024	4331088	78.21%	2.367%

rters
37 20.714 20.640 20.773 BB 245833 4339915 78.37% 2.372%
38 21.598 21.500 21.712 BB 180996 4327302 78
Sum of corrected areas: 1829

Aliphatic EPH 102324.M Fri Nov 01 02:05:31 2024

Instrument :
FID_C
ClientSampleId :
PB164554BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/01/2024
Supervised By :Ankita Jodhani 11/04/2024