

rteres

Instrument :

FID_C

ClientSampleId :

PB164554BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC10312

Data File : FC067594.D

Signal(s) : FID1A.ch

Acq On : 31 Oct 2024 13:17

Sample : PB164554BSD

Misc :

ALS Vial : 13 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/01/2024

Supervised By :Ankita Jodhani 11/04/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M

Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.282	3.252	3.353	BB	561413	4751840	85.35%	2.576%
2	4.343	4.310	4.362	BV	549953	4946158	88.84%	2.681%
3	4.382	4.362	4.457	VB	596578	5215651	93.68%	2.827%
4	5.917	5.882	6.023	BB	568855	5413247	97.23%	2.934%
5	6.355	6.318	6.425	BB	502262	5017641	90.13%	2.720%
6	6.971	6.930	7.070	BB	503092	4951809	88.94%	2.684%
7	8.148	8.112	8.208	BB	459814	4949618	88.90%	2.683%
8	8.249	8.210	8.327	BB	538877	5351966	96.13%	2.901%
9	8.546	8.513	8.642	VB	559925	5567366	100.00%	3.018%
10	9.327	9.287	9.438	BB	500531	5334079	95.81%	2.891%
11	9.744	9.703	9.820	BB	441985	4886125	87.76%	2.648%
12	10.726	10.662	10.767	BV	466632	5131027	92.16%	2.781%
13	10.800	10.767	10.922	VB	468342	5135690	92.25%	2.784%
14	11.183	11.145	11.267	BB	427096	4895582	87.93%	2.654%
15	11.495	11.452	11.570	BB	483538	5371020	96.47%	2.911%
16	12.491	12.453	12.513	BV	398660	4937729	88.69%	2.676%
17	12.540	12.513	12.617	VB	423372	4985520	89.55%	2.702%
18	12.837	12.792	12.873	BV	433869	4973141	89.33%	2.696%
19	12.933	12.900	12.995	VB	340543	4200501	75.45%	2.277%
20	13.101	13.060	13.185	BB	364924	4745929	85.25%	2.572%
21	13.686	13.608	13.743	BB	381412	4708499	84.57%	2.552%
22	14.712	14.668	14.732	BV	368977	4812643	86.44%	2.609%
23	14.755	14.732	14.770	VV	419430	4858418	87.27%	2.633%
24	14.787	14.770	14.888	VB	362195	4641845	83.38%	2.516%
25	15.808	15.742	15.862	BB	348240	4587695	82.40%	2.487%
26	16.265	16.220	16.281	BV	338028	4800448	86.22%	2.602%
27	16.300	16.281	16.345	VV	413199	4854957	87.20%	2.632%
28	16.645	16.590	16.703	BV	365697	4708225	84.57%	2.552%
29	16.755	16.703	16.837	VB	328944	4578183	82.23%	2.482%
30	17.643	17.577	17.707	BB	330480	4568018	82.05%	2.476%
31	18.015	17.937	18.031	BV	334560	4908605	88.17%	2.661%
32	18.055	18.031	18.157	VB	332247	4747316	85.27%	2.573%
33	18.271	18.197	18.370	BB	346002	4804758	86.30%	2.604%
34	18.473	18.400	18.537	BB	299734	4502139	80.87%	2.440%
35	19.254	19.185	19.327	BB	298280	4514937	81.10%	2.447%
36	19.992	19.937	20.065	BB	278996	4373116	78.55%	2.370%

rters
37 20.715 20.632 20.793 BB 253935 4383082 78.73% 2.376%
38 21.597 21.510 21.712 BB 186229 4373194 78
Sum of corrected areas: 1844

Aliphatic EPH 102324.M Fri Nov 01 02:06:35 2024

Instrument :

FID_C

ClientSampleId :

PB164554BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/01/2024

Supervised By :Ankita Jodhani 11/04/2024