

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC110723AL\
 Data File : FC065053.D
 Signal(s) : FID1A.ch
 Acq On : 08 Nov 2023 05:59
 Operator : YP/AJ
 Sample : 05251-10
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Nov 08 06:48:25 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102823.M
 Quant Title : GC Extractables
 QLast Update : Sat Oct 28 02:12:00 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
12) S 1-chlorooctadecane (S...	12.946	7959606	50.350 ug/ml
Spiked Amount 50.000		Recovery =	100.70%
Target Compounds			
4) T n-Dodecane (C12)	6.381	107550	0.557 ug/ml
5) T A~2-methylnaphthalene...	6.997	50255	0.273 ug/ml
6) T n-Tetradecane (C14)	8.168	71395	0.378 ug/ml
14) T n-Tetracosane (C24)	14.790	81284	0.488 ug/ml
15) T n-Hexacosane (C26)	15.807	70107	0.437 ug/ml
16) T n-Octacosane (C28)	16.753	65117	0.416 ug/ml
17) T n-Tricontane (C30)	17.636	70307	0.444 ug/ml
18) T n-Dotriacontane (C32)	18.466	56639	0.359 ug/ml
19) T n-Tetratriacontane (C34)	19.247	48754	0.319 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC110723AL\
Data File : FC065053.D
Signal(s) : FID1A.ch
Acq On : 08 Nov 2023 05:59
Operator : YP/AJ
Sample : 05251-10
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :

Integration File: autoint1.e
Quant Time: Nov 08 06:48:25 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102823.M
Quant Title : GC Extractables
QLast Update : Sat Oct 28 02:12:00 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#4 n-Dodecane (C12)


R.T.: 6.381 min
Delta R.T.: -0.011 min
Response: 107550
Conc: 0.56 ug/ml

Instrument :
FID_C
ClientSampleId :




#5 A~2-methylnaphthalene (C12.89)

R.T.: 6.997 min
Delta R.T.: -0.018 min
Response: 50255
Conc: 0.27 ug/ml




#6 n-Tetradecane (C14)

R.T.: 8.168 min
Delta R.T.: -0.011 min
Response: 71395
Conc: 0.38 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 0.000 min
Exp R.T.: 11.523 min
Response: 0
Conc: N.D.



#12 1-chlorooctadecane (SURR)


R.T.: 12.946 min
Delta R.T.: -0.009 min
Response: 7959606
Conc: 50.35 ug/ml

Instrument :
FID_C
ClientSampleId :




#14 n-Tetracosane (C24)

R.T.: 14.790 min
Delta R.T.: -0.013 min
Response: 81284
Conc: 0.49 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.807 min
Delta R.T.: -0.012 min
Response: 70107
Conc: 0.44 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.753 min
Delta R.T.: -0.011 min
Response: 65117
Conc: 0.42 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.636 min
Delta R.T.: -0.013 min
Response: 70307
Conc: 0.44 ug/ml

Instrument :
FID_C
ClientSampleId :



#18 n-Dotriacontane (C32)

R.T.: 18.466 min
Delta R.T.: -0.011 min
Response: 56639
Conc: 0.36 ug/ml



#19 n-Tetratriacontane (C34)

R.T.: 19.247 min
Delta R.T.: -0.009 min
Response: 48754
Conc: 0.32 ug/ml