

rteres

Instrument :

FID_C

ClientSampleId :

PB164751BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC11072

Data File : FC067659.D

Signal(s) : FID1A.ch

Acq On : 07 Nov 2024 17:15

Sample : PB164751BSD

Misc :

ALS Vial : 13 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/08/2024

Supervised By :Ankita Jodhani 11/08/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102324.M

Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.278	3.247	3.340	BB	493227	4113557	75.33%	2.298%
2	4.340	4.309	4.359	BV	496812	4378073	80.17%	2.446%
3	4.378	4.359	4.440	VB	534074	4664362	85.41%	2.605%
4	5.915	5.884	5.997	BB	542813	5008336	91.71%	2.798%
5	6.352	6.312	6.414	BB	466275	4668453	85.49%	2.608%
6	6.970	6.920	7.062	BB	484127	4730723	86.63%	2.643%
7	8.146	8.109	8.205	BB	446180	4848605	88.79%	2.708%
8	8.248	8.209	8.330	BB	530561	5244994	96.05%	2.930%
9	8.545	8.514	8.632	VB	539190	5460963	100.00%	3.050%
10	9.326	9.289	9.435	BB	505083	5268238	96.47%	2.943%
11	9.742	9.700	9.809	BB	431287	4861024	89.01%	2.715%
12	10.724	10.637	10.766	BV	455021	5049116	92.46%	2.820%
13	10.800	10.766	10.917	VB	453142	5055225	92.57%	2.824%
14	11.182	11.140	11.249	BB	426669	4867643	89.14%	2.719%
15	11.494	11.447	11.547	BB	474846	5066893	92.78%	2.830%
16	12.490	12.442	12.512	BV	408027	4883238	89.42%	2.728%
17	12.539	12.512	12.615	VB	419655	4878908	89.34%	2.725%
18	12.836	12.795	12.870	BV	420231	4859678	88.99%	2.715%
19	12.931	12.900	12.995	VB	322683	3816449	69.89%	2.132%
20	13.100	13.059	13.162	BB	370749	4682507	85.75%	2.616%
21	13.685	13.645	13.749	BB	377093	4639948	84.97%	2.592%
22	14.712	14.667	14.732	BV	368375	4716255	86.36%	2.634%
23	14.755	14.732	14.770	VV	406675	4805283	87.99%	2.684%
24	14.786	14.770	14.870	VB	362365	4494946	82.31%	2.511%
25	15.806	15.762	15.865	BB	338107	4486168	82.15%	2.506%
26	16.266	16.214	16.281	BV	347168	4737579	86.75%	2.646%
27	16.300	16.281	16.342	VB	390846	4812309	88.12%	2.688%
28	16.645	16.597	16.704	BV	363460	4670867	85.53%	2.609%
29	16.754	16.704	16.817	VB	327001	4482776	82.09%	2.504%
30	17.642	17.575	17.687	BB	315703	4475292	81.95%	2.500%
31	18.015	17.934	18.032	BV	336120	4905158	89.82%	2.740%
32	18.054	18.032	18.149	VB	354616	4723071	86.49%	2.638%
33	18.270	18.189	18.355	BB	342061	4792231	87.75%	2.677%
34	18.471	18.402	18.530	BB	306872	4430187	81.12%	2.475%
35	19.252	19.167	19.315	BB	302607	4459895	81.67%	2.491%
36	19.991	19.930	20.062	BB	283213	4314896	79.01%	2.410%

rters
37 20.713 20.622 20.795 BB 241932 4346017 79.58% 2.428%
38 21.598 21.507 21.710 BB 184551 4320743 79.58% 2.428%
Sum of corrected areas: 1790

Aliphatic EPH 102324.M Fri Nov 08 01:23:09 2024

Instrument :

FID_C

ClientSampleId :

PB164751BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/08/2024

Supervised By :Ankita Jodhani 11/08/2024