

rteres

Instrument :

FID_C

ClientSampleId :

PB148924BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC11092

Data File : FC062120.D

Signal(s) : FID1A.ch

Acq On : 09 Nov 2022 16:55

Sample : PB148924BSD

Misc :

ALS Vial : 6 Sample Multiplier: 1

Reviewed By :Yogesh Patel 11/10/2022

Supervised By :Ankita Jodhani 11/10/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 101722.M

Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.365	3.325	3.402	BB	677126	5826996	91.70%	2.737%
2	4.427	4.377	4.447	BV	674352	6008842	94.56%	2.822%
3	4.469	4.447	4.507	VB	698118	6199105	97.55%	2.911%
4	6.008	5.957	6.047	BB	683230	6354609	100.00%	2.984%
5	6.441	6.394	6.480	BB	622879	6211601	97.75%	2.917%
6	7.065	7.010	7.107	BB	632816	6095081	95.92%	2.863%
7	7.676	7.627	7.717	BB	566459	5863998	92.28%	2.754%
8	8.237	8.187	8.269	BB	565679	6102925	96.04%	2.866%
9	8.347	8.299	8.385	BB	591385	6001991	94.45%	2.819%
10	8.544	8.495	8.584	BB	364159	3801962	59.83%	1.786%
11	8.644	8.594	8.684	BB	599411	6156985	96.89%	2.892%
12	9.427	9.374	9.472	BB	595675	5914708	93.08%	2.778%
13	9.835	9.779	9.875	BB	510124	6131031	96.48%	2.879%
14	10.828	10.774	10.869	BB	483188	5595017	88.05%	2.628%
15	10.903	10.869	10.947	BB	503142	5490731	86.41%	2.579%
16	11.278	11.227	11.320	BB	537383	6065925	95.46%	2.849%
17	11.593	11.540	11.635	BB	556430	5863078	92.26%	2.754%
18	12.586	12.535	12.613	BV	464612	5653373	88.96%	2.655%
19	12.646	12.613	12.687	VB	479205	5269730	82.93%	2.475%
20	12.944	12.894	12.977	BV	468563	5221610	82.17%	2.452%
21	13.029	12.977	13.070	VB	365540	4599509	72.38%	2.160%
22	13.197	13.144	13.235	BB	437201	5500540	86.56%	2.583%
23	13.782	13.732	13.829	BB	437032	5414747	85.21%	2.543%
24	14.820	14.765	14.840	BV	371116	4979334	78.36%	2.339%
25	14.866	14.840	14.876	VV	477182	6103082	96.04%	2.866%
26	14.882	14.876	14.922	VB	415420	4023370	63.31%	1.890%
27	15.904	15.852	15.945	BB	383017	5033355	79.21%	2.364%
28	16.377	16.310	16.391	BV	341659	5042125	79.35%	2.368%
29	16.410	16.391	16.445	VB	408279	4759246	74.89%	2.235%
30	16.755	16.695	16.795	BB	327376	4450709	70.04%	2.090%
31	16.849	16.797	16.897	BB	361903	4926772	77.53%	2.314%
32	17.736	17.679	17.782	BB	345908	4805950	75.63%	2.257%
33	18.124	18.057	18.140	BV	319647	4716453	74.22%	2.215%
34	18.163	18.140	18.202	VB	331823	4401859	69.27%	2.067%
35	18.383	18.322	18.424	BB	332980	4660340	73.34%	2.189%
36	18.566	18.504	18.617	BB	343058	4845051	76.24%	2.275%

						rters			
37	19.345	19.287	19.389	BB	335201	4824383	75.92%	2.266%	
38	20.085	20.020	20.122	BB	296589	4642765	73		
39	20.819	20.755	20.877	BB	261125	4665331	73		
40	21.735	21.662	21.799	BBA	199002	4700846	73		

Sum of corrected areas: 2129

Instrument :
FID_C
ClientSampleId :
PB148924BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/10/2022
Supervised By :Ankita Jodhani 11/10/2022

Aliphatic EPH 101722.M Thu Nov 10 03:42:15 2022