

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC112223AL\
 Data File : FC065281.D
 Signal(s) : FID1A.ch
 Acq On : 22 Nov 2023 19:08
 Operator : YP/AJ
 Sample : 05451-05
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Nov 22 22:46:53 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102823.M
 Quant Title : GC Extractables
 QLast Update : Sat Oct 28 02:12:00 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
12) S 1-chlorooctadecane (S...	12.942	6454885	40.832 ug/ml
Spiked Amount 50.000		Recovery =	81.66%
Target Compounds			
4) T n-Dodecane (C12)	6.379	140508	0.727 ug/ml
6) T n-Tetradecane (C14)	8.167	60520	0.321 ug/ml
14) T n-Tetracosane (C24)	14.790	72952	0.438 ug/ml
15) T n-Hexacosane (C26)	15.804	60427	0.376 ug/ml
16) T n-Octacosane (C28)	16.751	76592	0.489 ug/ml
17) T n-Tricontane (C30)	17.632	76761	0.485 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC112223AL\
Data File : FC065281.D
Signal(s) : FID1A.ch
Acq On : 22 Nov 2023 19:08
Operator : YP/AJ
Sample : 05451-05
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :

Integration File: autoint1.e
Quant Time: Nov 22 22:46:53 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 102823.M
Quant Title : GC Extractables
QLast Update : Sat Oct 28 02:12:00 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#4 n-Dodecane (C12)


R.T.: 6.379 min
Delta R.T.: -0.013 min
Response: 140508
Conc: 0.73 ug/ml

Instrument :
FID_C
ClientSampleId :




#6 n-Tetradecane (C14)

R.T.: 8.167 min
Delta R.T.: -0.013 min
Response: 60520
Conc: 0.32 ug/ml




#9 ortho-Terphenyl (SURR)

R.T.: 0.000 min
Exp R.T.: 11.523 min
Response: 0
Conc: N.D.



#12 1-chlorooctadecane (SURR)

R.T.: 12.942 min
Delta R.T.: -0.013 min
Response: 6454885
Conc: 40.83 ug/ml




#14 n-Tetracosane (C24)

R.T.: 14.790 min
Delta R.T.: -0.013 min
Response: 72952
Conc: 0.44 ug/ml

Instrument :


FID_C

ClientSampleId :




#15 n-Hexacosane (C26)

R.T.: 15.804 min
Delta R.T.: -0.015 min
Response: 60427
Conc: 0.38 ug/ml



#16 n-Octacosane (C28)

R.T.: 16.751 min
Delta R.T.: -0.013 min
Response: 76592
Conc: 0.49 ug/ml



#17 n-Tricontane (C30)

R.T.: 17.632 min
Delta R.T.: -0.017 min
Response: 76761
Conc: 0.48 ug/ml