

rteres

Instrument :

FID_C

ClientSampleId :

PB165314BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/03/2024

Supervised By :Ankita Jodhani 12/03/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC12022

Data File : FC067887.D

Signal(s) : FID1A.ch

Acq On : 02 Dec 2024 15:02

Sample : PB165314BSD

Misc :

ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 111424.M

Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.301	3.260	3.380	BB	665834	5531397	83.14%	2.663%
2	4.359	4.302	4.378	BV	652579	5837367	87.74%	2.810%
3	4.398	4.378	4.467	VB	705032	6232727	93.68%	3.000%
4	5.931	5.879	6.042	BB	696789	6621352	99.52%	3.187%
5	6.367	6.310	6.430	BB	604120	6031981	90.66%	2.904%
6	6.984	6.935	7.094	BB	612701	6088219	91.51%	2.931%
7	7.596	7.530	7.680	BB	648688	6369085	95.73%	3.066%
8	8.158	8.090	8.214	BB	564662	6100733	91.70%	2.937%
9	8.261	8.214	8.345	BB	616011	6295808	94.63%	3.031%
10	8.459	8.399	8.524	BV	413792	4364174	65.60%	2.101%
11	8.558	8.524	8.644	VB	649619	6653199	100.00%	3.203%
12	9.338	9.237	9.452	BB	615748	6519437	97.99%	3.138%
13	9.753	9.707	9.834	BB	557225	6032381	90.67%	2.904%
14	10.736	10.650	10.776	BV	580302	6265986	94.18%	3.016%
15	10.812	10.776	10.935	VB	575009	6293394	94.59%	3.029%
16	11.192	11.142	11.280	BB	517081	6002075	90.21%	2.889%
17	11.505	11.444	11.572	BB	562725	6194987	93.11%	2.982%
18	12.499	12.435	12.522	BV	491130	5954034	89.49%	2.866%
19	12.550	12.522	12.649	VB	506856	5984344	89.95%	2.881%
20	12.848	12.777	12.881	BV	550243	6326128	95.08%	3.045%
21	12.940	12.908	12.995	VB	410680	4954744	74.47%	2.385%
22	13.109	13.044	13.175	BB	470118	5646231	84.86%	2.718%
23	13.693	13.625	13.754	BB	449686	5554050	83.48%	2.674%
24	14.765	14.740	14.778	VV	480741	5697297	85.63%	2.743%
25	14.794	14.778	14.889	VB	415059	5212607	78.35%	2.509%
26	15.815	15.709	15.874	BB	382764	5185187	77.94%	2.496%
27	16.309	16.290	16.394	VB	444144	5320398	79.97%	2.561%
28	16.654	16.584	16.702	BV	384691	5072456	76.24%	2.442%
29	16.760	16.702	16.834	VB	354751	5042907	75.80%	2.428%
30	17.647	17.580	17.717	BB	348831	4971339	74.72%	2.393%
31	18.061	18.039	18.164	VB	372555	5071129	76.22%	2.441%
32	18.277	18.205	18.375	BB	340834	4898730	73.63%	2.358%
33	18.476	18.402	18.547	BB	338783	4835396	72.68%	2.328%
34	19.257	19.189	19.330	BB	294887	4788744	71.98%	2.305%
35	19.995	19.945	20.067	BB	289316	4625850	69.53%	2.227%
36	20.720	20.645	20.824	BB	257147	4609381	69.28%	2.219%

37 21.606 21.509 21.737 BB 181922 4554549 68.46% 2.192%
rteres
Sum of corrected areas: 2077

Aliphatic EPH 111424.M Tue Dec 03 01:00:06 2024

Instrument :

FID_C

ClientSampleId :

PB165314BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 12/03/2024

Supervised By :Ankita Jodhani 12/03/2024