

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC121322AL\
 Data File : FC062418.D
 Signal(s) : FID1A.ch
 Acq On : 13 Dec 2022 19:02
 Operator : YP/AJ
 Sample : N6024-01D
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 TP-Q

Integration File: autoint1.e
 Quant Time: Dec 14 04:30:01 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 120722.M
 Quant Title : GC Extractables
 QLast Update : Thu Dec 08 01:05:24 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.576	5622665	39.860 ug/ml
Spiked Amount 50.000		Recovery =	79.72%
12) S 1-chlorooctadecane (S...	13.015	4311861	40.455 ug/ml
Spiked Amount 50.000		Recovery =	80.91%

Target Compounds

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC121322AL\
Data File : FC062418.D
Signal(s) : FID1A.ch
Acq On : 13 Dec 2022 19:02
Operator : YP/AJ
Sample : N6024-01D
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
TP-Q

Integration File: autoint1.e
Quant Time: Dec 14 04:30:01 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 120722.M
Quant Title : GC Extractables
QLast Update : Thu Dec 08 01:05:24 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.576 min
Delta R.T.: 0.005 min
Response: 5622665
Conc: 39.86 ug/ml

Instrument :
FID_C
ClientSampleId :
TP-Q



#12 1-chlorooctadecane (SURR)

R.T.: 13.015 min
Delta R.T.: 0.003 min
Response: 4311861
Conc: 40.45 ug/ml