

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC091421AL\
 Data File : FC055631.D
 Signal(s) : FID1A.CH
 Acq On : 14 Sep 2021 16:43
 Operator : AJ\MA
 Sample : M3707-02DL 5X
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Sep 15 01:22:10 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 083021.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 31 01:45:39 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.655	892431	7.144 ug/ml
Spiked Amount 50.000		Recovery =	14.29%
12) S 1-chlorooctadecane (S...	13.089	873919	8.830 ug/ml
Spiked Amount 50.000		Recovery =	17.66%
Target Compounds			
10) T n-Eicosane (C20)	12.712f	1098066	9.397 ug/ml
14) T n-Tetracosane (C24)	14.929	493052	4.234 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC091421AL\
Data File : FC055631.D
Signal(s) : FID1A.CH
Acq On : 14 Sep 2021 16:43
Operator : AJ\MA
Sample : M3707-02DL 5X
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :

Integration File: autoint1.e
Quant Time: Sep 15 01:22:10 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 083021.M
Quant Title : GC Extractables
QLast Update : Tue Aug 31 01:45:39 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)


R.T.: 11.655 min
Delta R.T.: -0.004 min
Response: 892431
Conc: 7.14 ug/ml

Instrument :
FID_C
ClientSampleId :




#10 n-Eicosane (C20)

R.T.: 12.712 min
Delta R.T.: 0.063 min
Response: 1098066
Conc: 9.40 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 13.089 min
Delta R.T.: -0.005 min
Response: 873919
Conc: 8.83 ug/ml



#14 n-Tetracosane (C24)

R.T.: 14.929 min
Delta R.T.: -0.024 min
Response: 493052
Conc: 4.23 ug/ml