

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD010322AR\
 Data File : FD040357.D
 Signal(s) : FID2B.CH
 Acq On : 03 Jan 2022 16:57
 Operator : AJ\MA
 Sample : PB141625BSD
 Misc :
 ALS Vial : 56 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 PB141625BSD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 01/04/2022
 Supervised By :Ankita Jodhani 01/04/2022

Integration File: autoint1.e
 Quant Time: Jan 04 00:42:06 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 123021.M
 Quant Title : GC Extractables
 QLast Update : Thu Dec 30 16:15:14 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	6.797	6383735	48.584 ug/ml
Spiked Amount 50.000		Recovery =	97.17%
6) S 2-Fluorobiphenyl (SURR)	7.647	4222865	49.733 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	99.47%
11) S ortho-Terphenyl (SURR)	10.680	6227318	44.567 ug/ml
Spiked Amount 50.000		Recovery =	89.13%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	3.651	5745909	38.205 ug/mlm
2) T Naphthalene (C11.7)	5.147	6465085	42.854 ug/ml
3) T 2-Methylnaphthalene (...)	6.188	6594980	43.922 ug/ml
5) T Acenaphthylene (C15.06)	7.452	6453100	47.401 ug/ml
7) T Acenaphthene (C15.5)	7.747	6982065	48.063 ug/ml
8) T Flouorene (C16.55)	8.523	7019694	50.836 ug/ml
9) T Phenanthrene (C19.36)	9.909	7226969	53.608 ug/ml
10) T Anthracene (C19.43)	9.985	6940358	55.186 ug/ml
12) T Fluoranthene (C21.85)	11.712	7293764	54.308 ug/ml
13) T Pyrene (C20.8)	12.007	7178203	54.950 ug/ml
14) T Benzo[a]anthracene (C...	13.873	6858749	58.701 ug/ml
15) T Chrysene (C27.41)	13.917	6769375	54.145 ug/ml
16) T benzo[b]fluoranthene ...	15.417	6809926	54.902 ug/ml
17) T Bnezo[k]fluoranthene ...	15.453	6791204	54.655 ug/ml
18) T Benzo[a]pyrene (C31.34)	15.792	5980092	49.677 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.152	5363410	46.211 ug/ml
20) T Dibenz[a,h]anthracene...	17.195	5825915	51.258 ug/ml
21) T Benzo[g,h,i]perylene ...	17.409	5853304	47.962 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD010322AR\
Data File : FD040357.D
Signal(s) : FID2B.CH
Acq On : 03 Jan 2022 16:57
Operator : AJ\MA
Sample : PB141625BSD
Misc :
ALS Vial : 56 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
PB141625BSD

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/04/2022
Supervised By :Ankita Jodhani 01/04/2022

Integration File: autoint1.e
Quant Time: Jan 04 00:42:06 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 123021.M
Quant Title : GC Extractables
QLast Update : Thu Dec 30 16:15:14 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

