

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD010421AR\
 Data File : FD035875.D
 Signal(s) : FID2B.CH
 Acq On : 04 Jan 2021 16:17
 Operator : DD\AJ
 Sample : L5246-06D
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 6

Manual Integrations
 APPROVED

Ankita
 1/5/2021 11:12:25 AM

Integration File: autoint1.e
 Quant Time: Jan 05 02:28:10 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 122120.M
 Quant Title : GC Extractables
 QLast Update : Tue Dec 22 09:21:33 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.581	6816763	62.465 ug/ml
Spiked Amount 50.000		Recovery =	124.93%
6) S 2-Fluorobiphenyl (SURR)	8.448	3355274	48.329 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	96.66%
11) S ortho-Terphenyl (SURR)	11.481	5423336	41.959 ug/mlm
Spiked Amount 50.000		Recovery =	83.92%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD010421AR\
Data File : FD035875.D
Signal(s) : FID2B.CH
Acq On : 04 Jan 2021 16:17
Operator : DD\AJ
Sample : L5246-06D
Misc :
ALS Vial : 62 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
6


Manual Integrations
APPROVED

Ankita
1/5/2021 11:12:25 AM

Integration File: autoint1.e
Quant Time: Jan 05 02:28:10 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 122120.M
Quant Title : GC Extractables
QLast Update : Tue Dec 22 09:21:33 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.581 min
Delta R.T.: -0.015 min
Response: 6816763
Conc: 62.46 ug/ml

Instrument :
FID_D
ClientSampleId :
6


Manual Integrations
APPROVED

Ankita
1/5/2021 11:12:25 AM



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.448 min
Delta R.T.: -0.025 min
Response: 3355274
Conc: 48.33 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 11.481 min
Delta R.T.: -0.006 min
Response: 5423336
Conc: 41.96 ug/ml m