

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD010621AR\
 Data File : FD035921.D
 Signal(s) : FID2B.CH
 Acq On : 07 Jan 2021 00:49
 Operator : DD\AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jan 07 03:02:20 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 122120.M
 Quant Title : GC Extractables
 QLast Update : Tue Dec 22 09:21:33 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.581	2169938	19.884 ug/ml
Spiked Amount 50.000		Recovery =	39.77%
6) S 2-Fluorobiphenyl (SURR)	8.449	1381990	19.906 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	39.81%
11) S ortho-Terphenyl (SURR)	11.478	2511953	19.434 ug/ml
Spiked Amount 50.000		Recovery =	38.87%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.382	2521522	20.238 ug/ml
2) T Naphthalene (C11.7)	5.921	2533333	20.045 ug/ml
3) T 2-Methylnaphthalene (...)	6.972	2480448	19.610 ug/ml
5) T Acenaphthylene (C15.06)	8.246	2431166	19.218 ug/ml
7) T Acenaphthene (C15.5)	8.540	2653165	19.561 ug/ml
8) T Flouorene (C16.55)	9.324	2406300	19.593 ug/ml
9) T Phenanthrene (C19.36)	10.721	2344284	19.222 ug/ml
10) T Anthracene (C19.43)	10.798	2150420	17.183 ug/ml
12) T Fluoranthene (C21.85)	12.533	2324551	19.074 ug/ml
13) T Pyrene (C20.8)	12.831	2312402	18.900 ug/ml
14) T Benzo[a]anthracene (C...	14.706	1951852	19.851 ug/ml
15) T Chrysene (C27.41)	14.748	2282882	18.631 ug/ml
16) T benzo[b]fluoranthene ...	16.261	4346717	45.642 ug/ml
17) T Bnezo[k]fluoranthene ...	16.261	4346717	39.465 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.644	1950056	21.419 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.015	4243216	52.404 ug/ml
20) T Dibenz[a,h]anthracene...	18.015f	4243216	39.711 ug/ml
21) T Benzo[g,h,i]perylene ...	18.267	2158139	23.343 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD010621AR\
Data File : FD035921.D
Signal(s) : FID2B.CH
Acq On : 07 Jan 2021 00:49
Operator : DD\AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jan 07 03:02:20 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 122120.M
Quant Title : GC Extractables
QLast Update : Tue Dec 22 09:21:33 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped


Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)

R.T.: 4.382 min
Delta R.T.: -0.010 min
Response: 2521522
Conc: 20.24 ug/ml




#2 Naphthalene (C11.7)

R.T.: 5.921 min
Delta R.T.: -0.015 min
Response: 2533333
Conc: 20.05 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.972 min
Delta R.T.: -0.016 min
Response: 2480448
Conc: 19.61 ug/ml




#4 2-Bromonaphthalene (SURR)

R.T.: 7.581 min
Delta R.T.: -0.015 min
Response: 2169938
Conc: 19.88 ug/ml




#5 Acenaphthylene (C15.06)

R.T.: 8.246 min
Delta R.T.: -0.012 min
Response: 2431166
Conc: 19.22 ug/ml




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.449 min
Delta R.T.: -0.023 min
Response: 1381990
Conc: 19.91 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.540 min
Delta R.T.: -0.009 min
Response: 2653165
Conc: 19.56 ug/ml




#8 Flouorene (C16.55)

R.T.: 9.324 min
Delta R.T.: -0.018 min
Response: 2406300
Conc: 19.59 ug/ml




#9 Phenanthrene (C19.36)

R.T.: 10.721 min
Delta R.T.: -0.017 min
Response: 2344284
Conc: 19.22 ug/ml




#10 Anthracene (C19.43)

R.T.: 10.798 min
Delta R.T.: -0.019 min
Response: 2150420
Conc: 17.18 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.478 min
Delta R.T.: -0.009 min
Response: 2511953
Conc: 19.43 ug/ml




#12 Fluoranthene (C21.85)

R.T.: 12.533 min
Delta R.T.: -0.018 min
Response: 2324551
Conc: 19.07 ug/ml




#13 Pyrene (C20.8)

R.T.: 12.831 min
Delta R.T.: -0.015 min
Response: 2312402
Conc: 18.90 ug/ml




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.706 min
Delta R.T.: -0.019 min
Response: 1951852
Conc: 19.85 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.748 min
Delta R.T.: -0.017 min
Response: 2282882
Conc: 18.63 ug/ml




#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.261 min
Delta R.T.: -0.016 min
Response: 4346717
Conc: 45.64 ug/ml




#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.261 min
Delta R.T.: -0.047 min
Response: 4346717
Conc: 39.46 ug/ml




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.644 min
Delta R.T.: -0.027 min
Response: 1950056
Conc: 21.42 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 18.015 min
Delta R.T.: -0.025 min
Response: 4243216
Conc: 52.40 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.015 min
Delta R.T.: -0.058 min
Response: 4243216
Conc: 39.71 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.267 min
Delta R.T.: -0.019 min
Response: 2158139
Conc: 23.34 ug/ml