

rteres

Instrument :

FID_D

ClientSampleId :

FM-E8-01-4.5MSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD01112
 Data File : FD040557.D
 Signal(s) : FID2B.CH
 Acq On : 11 Jan 2022 23:26
 Sample : N1047-01MSD
 Misc :
 ALS Vial : 69 Sample Multiplier: 1

Reviewed By :Yogesh Patel 01/12/2022
 Supervised By :Ankita Jodhani 01/13/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 010422.M
 Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.578	2.551	2.631	BB	673998	5139907	61.90%	1.882%
2	3.341	3.323	3.368	BB	5359	47848	0.58%	0.018%
3	3.563	3.531	3.582	BV	714190	5971418	71.91%	2.186%
4	3.602	3.582	3.638	VV	716605	6228033	75.00%	2.280%
5	5.090	5.054	5.143	BV	782677	7189881	86.58%	2.632%
6	5.157	5.143	5.213	VB	9538	120512	1.45%	0.044%
7	5.528	5.484	5.587	BB	661033	6517092	78.48%	2.386%
8	6.037	5.973	6.063	BB	3051	38694	0.47%	0.014%
9	6.131	6.083	6.218	BB	746341	7229975	87.07%	2.647%
10	6.740	6.694	6.820	BB	699800	6848357	82.47%	2.507%
11	7.307	7.240	7.345	BB	671375	7054392	84.95%	2.583%
12	7.395	7.360	7.464	BB	739659	7635605	91.95%	2.796%
13	7.590	7.545	7.657	BV	459299	4687130	56.44%	1.716%
14	7.690	7.657	7.755	VB	775976	8084534	97.36%	2.960%
15	8.466	8.414	8.538	BB	769988	8057301	97.03%	2.950%
16	8.672	8.633	8.707	BB	8305	92322	1.11%	0.034%
17	8.893	8.843	8.948	BB	713218	7838886	94.40%	2.870%
18	9.640	9.592	9.691	BB	5890	108197	1.30%	0.040%
19	9.853	9.782	9.895	BV	746104	8304069	100.00%	3.040%
20	9.929	9.895	9.983	VV	755683	8140629	98.03%	2.981%
21	10.327	10.288	10.384	PB	688022	8070364	97.19%	2.955%
22	10.624	10.574	10.675	BB	491748	5428645	65.37%	1.988%
23	11.626	11.553	11.640	BV	645291	8288343	99.81%	3.035%
24	11.656	11.640	11.728	VB	693663	7586839	91.36%	2.778%
25	11.831	11.795	11.862	BB	7410	84245	1.01%	0.031%
26	11.950	11.898	11.982	BV	666827	7846874	94.49%	2.873%
27	12.002	11.982	12.027	VV	6167	76286	0.92%	0.028%
28	12.061	12.027	12.093	VV	340150	4002974	48.20%	1.466%
29	12.234	12.183	12.296	BB	621796	7711329	92.86%	2.823%
30	12.817	12.738	12.871	BB	617644	7594087	91.45%	2.780%
31	13.214	13.178	13.268	BB	15083	197055	2.37%	0.072%
32	13.422	13.398	13.486	VB	10675	173491	2.09%	0.064%
33	13.817	13.759	13.835	BV	520165	7197096	86.67%	2.635%
34	13.861	13.835	13.881	VV	607430	7062582	85.05%	2.586%
35	13.913	13.881	13.973	VB	583921	7418129	89.33%	2.716%
36	14.929	14.875	14.973	BB	537858	7030964	84.67%	2.574%

rterres									
37	15.362	15.296	15.377	BV	472962	7253967	87.35%	2.656%	
38	15.398	15.377	15.443	VB	575871	7017617	84.17%	2.439%	
39	15.738	15.674	15.798	BV	515596	6844106	82.74%	2.455%	
40	15.829	15.798	15.836	PV	7500	72863	0.00%	0.000%	
41	15.871	15.836	15.901	VV	495527	6767481	81.01%	2.439%	
42	16.643	16.600	16.673	BB	4579	64232	0.00%	0.000%	
43	16.755	16.681	16.813	BB	494824	6661088	80.21%	2.439%	
44	17.101	17.009	17.115	BV	439672	6704879	80.74%	2.455%	
45	17.143	17.115	17.237	VB	495182	6989695	84.17%	2.559%	
46	17.358	17.290	17.412	BB	453230	7037867	84.75%	2.577%	
47	17.581	17.518	17.641	BB	446818	6395083	77.01%	2.341%	
48	17.971	17.871	18.029	BB	4524	137028	1.65%	0.050%	
49	18.360	18.320	18.413	BB	391647	5823348	70.13%	2.132%	
50	19.097	19.060	19.165	BB	323509	4914432	59.18%	1.799%	
51	19.231	19.183	19.264	BV	5028	69552	0.84%	0.025%	
52	19.446	19.264	19.480	PB	1932	41075	0.49%	0.015%	
53	19.794	19.760	19.870	BV	289169	4503269	54.23%	1.649%	
54	20.595	20.520	20.725	BV	212548	4722263	56.87%	1.729%	
Sum of corrected areas:					273123928				

Instrument :

FID_D

ClientSampleId :

FM-E8-01-4.5MSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/12/2022
Supervised By :Ankita Jodhani 01/13/2022

Aliphatic EPH 010422.M Wed Jan 12 10:23:55 2022