

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD011322AR\
 Data File : FD040599.D
 Signal(s) : FID2B.CH
 Acq On : 13 Jan 2022 19:00
 Operator : AJ\MA
 Sample : M4873-03
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 A2-4-6.5

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 01/14/2022
 Supervised By :Ankita Jodhani 01/14/2022

Integration File: autoint1.e
 Quant Time: Jan 14 02:13:43 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 010422.M
 Quant Title : GC Extractables
 QLast Update : Wed Jan 05 01:13:45 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	6.743	8243127	57.636 ug/mlm
Spiked Amount 50.000		Recovery =	115.27%
6) S 2-Fluorobiphenyl (SURR)	7.594	5528408	58.058 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	116.12%
11) S ortho-Terphenyl (SURR)	10.629	8038763	51.438 ug/mlm
Spiked Amount 50.000		Recovery =	102.88%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD011322AR\
Data File : FD040599.D
Signal(s) : FID2B.CH
Acq On : 13 Jan 2022 19:00
Operator : AJ\MA
Sample : M4873-03
Misc :
ALS Vial : 61 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
A2-4-6.5


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/14/2022
Supervised By :Ankita Jodhani 01/14/2022

Integration File: autoint1.e
Quant Time: Jan 14 02:13:43 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 010422.M
Quant Title : GC Extractables
QLast Update : Wed Jan 05 01:13:45 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 6.743 min
Delta R.T.: -0.010 min
Response: 8243127
Conc: 57.64 ug/ml

Instrument :
FID_D
ClientSampleId :
A2-4-6.5


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/14/2022
Supervised By :Ankita Jodhani 01/14/2022



#6 2-Fluorobiphenyl (SURR)

R.T.: 7.594 min
Delta R.T.: -0.006 min
Response: 5528408
Conc: 58.06 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 10.629 min
Delta R.T.: -0.007 min
Response: 8038763
Conc: 51.44 ug/ml m