

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD011422AR\
 Data File : FD040615.D
 Signal(s) : FID2B.CH
 Acq On : 14 Jan 2022 16:03
 Operator : AJ\MA
 Sample : M4873-08
 Misc :
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 A2-9-6.5

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 01/17/2022
 Supervised By :Ankita Jodhani 01/17/2022

Integration File: autoint1.e
 Quant Time: Jan 14 16:27:50 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 010422.M
 Quant Title : GC Extractables
 QLast Update : Wed Jan 05 01:13:45 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	6.744	8368526	58.513 ug/mlm
Spiked Amount 50.000		Recovery =	117.03%
6) S 2-Fluorobiphenyl (SURR)	7.595	5584481	58.647 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	117.29%
11) S ortho-Terphenyl (SURR)	10.629	8027383	51.366 ug/mlm
Spiked Amount 50.000		Recovery =	102.73%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD011422AR\
Data File : FD040615.D
Signal(s) : FID2B.CH
Acq On : 14 Jan 2022 16:03
Operator : AJ\MA
Sample : M4873-08
Misc :
ALS Vial : 55 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
A2-9-6.5


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/17/2022
Supervised By :Ankita Jodhani 01/17/2022

Integration File: autoint1.e
Quant Time: Jan 14 16:27:50 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 010422.M
Quant Title : GC Extractables
QLast Update : Wed Jan 05 01:13:45 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 6.744 min
Delta R.T.: -0.009 min
Response: 8368526
Conc: 58.51 ug/ml

Instrument :
FID_D
ClientSampleId :
A2-9-6.5


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/17/2022
Supervised By :Ankita Jodhani 01/17/2022



#6 2-Fluorobiphenyl (SURR)

R.T.: 7.595 min
Delta R.T.: -0.005 min
Response: 5584481
Conc: 58.65 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 10.629 min
Delta R.T.: -0.007 min
Response: 8027383
Conc: 51.37 ug/ml m