

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD011822AR\
 Data File : FD040659.D
 Signal(s) : FID2B.CH
 Acq On : 18 Jan 2022 16:33
 Operator : AJ\MA
 Sample : N1138-05
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 POST-EX-HAZ-SW-4

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 01/19/2022
 Supervised By :Ankita Jodhani 01/19/2022

Integration File: autoint1.e
 Quant Time: Jan 19 01:24:05 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 010422.M
 Quant Title : GC Extractables
 QLast Update : Wed Jan 05 01:13:45 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	6.731	6978836	48.796 ug/ml
Spiked Amount 50.000		Recovery =	97.59%
6) S 2-Fluorobiphenyl (SURR)	7.578	4633566	48.660 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	97.32%
11) S ortho-Terphenyl (SURR)	10.611	4202653	26.892 ug/ml
Spiked Amount 50.000		Recovery =	53.78%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD011822AR\
Data File : FD040659.D
Signal(s) : FID2B.CH
Acq On : 18 Jan 2022 16:33
Operator : AJ\MA
Sample : N1138-05
Misc :
ALS Vial : 61 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
POST-EX-HAZ-SW-4


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/19/2022
Supervised By :Ankita Jodhani 01/19/2022

Integration File: autoint1.e
Quant Time: Jan 19 01:24:05 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 010422.M
Quant Title : GC Extractables
QLast Update : Wed Jan 05 01:13:45 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 6.731 min
Delta R.T.: -0.022 min
Response: 6978836
Conc: 48.80 ug/ml

Instrument :
FID_D
ClientSampleId :
POST-EX-HAZ-SW-4


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 01/19/2022
Supervised By :Ankita Jodhani 01/19/2022



#6 2-Fluorobiphenyl (SURRE)

R.T.: 7.578 min
Delta R.T.: -0.023 min
Response: 4633566
Conc: 48.66 ug/ml m



#11 ortho-Terphenyl (SURRE)

R.T.: 10.611 min
Delta R.T.: -0.024 min
Response: 4202653
Conc: 26.89 ug/ml