

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD012023AR\
 Data File : FD044856.D
 Signal(s) : FID2B.ch
 Acq On : 20 Jan 2023 21:10
 Operator : YP/AJ
 Sample : 01214-11
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jan 21 03:56:13 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 011923.M
 Quant Title : GC Extractables
 QLast Update : Thu Jan 19 13:44:02 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.666	7493757	42.590 ug/ml
Spiked Amount 50.000		Recovery =	85.18%
6) S 2-Fluorobiphenyl (SURR)	8.522	5009122	41.497 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	82.99%
11) S ortho-Terphenyl (SURR)	11.549	6025045	26.234 ug/ml
Spiked Amount 50.000		Recovery =	52.47%
Target Compounds			
12) T Fluoranthene (C21.85)	12.594	82145	0.406 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.994	40607	0.242 ug/ml
20) T Dibenz[a,h]anthracene...	17.994	40607	0.245 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD012023AR\
Data File : FD044856.D
Signal(s) : FID2B.ch
Acq On : 20 Jan 2023 21:10
Operator : YP/AJ
Sample : 01214-11
Misc :
ALS Vial : 62 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jan 21 03:56:13 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 011923.M
Quant Title : GC Extractables
QLast Update : Thu Jan 19 13:44:02 2023
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.666 min
Delta R.T.: 0.002 min
Response: 7493757
Conc: 42.59 ug/ml




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.522 min
Delta R.T.: 0.002 min
Response: 5009122
Conc: 41.50 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.549 min
Delta R.T.: 0.000 min
Response: 6025045
Conc: 26.23 ug/ml




#12 Fluoranthene (C21.85)

R.T.: 12.594 min
Delta R.T.: 0.011 min
Response: 82145
Conc: 0.41 ug/ml



#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.994 min
Delta R.T.: -0.015 min
Response: 40607
Conc: 0.24 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.994 min
Delta R.T.: -0.057 min
Response: 40607
Conc: 0.25 ug/ml