

rteres

Instrument :

FID_D

ClientSampleId :

PB166432BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/03/2025

Supervised By :Ankita Jodhani 02/03/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD01312
Data File : FD049026.D
Signal(s) : FID2B.ch
Acq On : 31 Jan 2025 16:42
Sample : PB166432BSD
Misc :
ALS Vial : 63 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 012425.M
Title : GC Extractables

Signal : FID2B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.123	3.086	3.200	BBA	731313	5956706	76.72%	2.541%
2	4.159	4.122	4.175	BV	699095	6244701	80.43%	2.664%
3	4.191	4.175	4.280	VB	815729	7213657	92.90%	3.077%
4	5.700	5.665	5.820	BBA	750590	7313987	94.20%	3.120%
5	6.146	6.100	6.227	BB	675854	6571759	84.64%	2.803%
6	6.745	6.712	6.896	PB	632557	6833294	88.01%	2.915%
7	7.926	7.882	7.982	BV	656951	6703756	86.34%	2.860%
8	8.010	8.001	8.112	BB	487622	-2616147	-33.69%	-1.116%
9	8.305	8.262	8.432	BB	784268	7764578	100.00%	3.312%
10	9.083	9.042	9.232	BB	693906	7544553	97.17%	3.218%
11	9.514	9.470	9.587	BB	624950	6727061	86.64%	2.870%
12	10.471	10.418	10.522	BV	704001	7306116	94.10%	3.117%
13	10.547	10.522	10.722	VB	614411	7292274	93.92%	3.111%
14	10.946	10.910	11.013	BB	617510	6748924	86.92%	2.879%
15	11.243	11.201	11.325	BB	707850	7647539	98.49%	3.262%
16	12.248	12.188	12.261	BV	605414	6951782	89.53%	2.965%
17	12.276	12.261	12.400	VB	623109	7229649	93.11%	3.084%
18	12.568	12.527	12.646	BV	613520	7203639	92.78%	3.073%
19	12.685	12.646	12.751	VBA	528529	6241571	80.39%	2.662%
20	12.856	12.810	12.909	BB	555881	6614274	85.19%	2.821%
21	13.438	13.385	13.488	BB	550858	6556050	84.44%	2.797%
22	14.440	14.397	14.458	BV	593985	6777215	87.28%	2.891%
23	14.481	14.458	14.507	VV	529114	6470237	83.33%	2.760%
24	14.535	14.507	14.632	VB	527988	6988955	90.01%	2.981%
25	15.552	15.504	15.600	BB	499389	6298266	81.12%	2.687%
26	15.990	15.937	16.004	BV	520930	6635555	85.46%	2.830%
27	16.022	16.004	16.153	VB	546704	6930803	89.26%	2.956%
28	16.363	16.310	16.456	BV	463042	6398824	82.41%	2.730%
29	16.495	16.456	16.564	VB	472540	6290975	81.02%	2.684%
30	17.380	17.309	17.427	BB	444205	6081622	78.33%	2.594%
31	17.733	17.668	17.748	BV	475657	6092230	78.46%	2.599%
32	17.769	17.748	17.948	VV	424176	6374706	82.10%	2.719%
33	17.984	17.948	18.121	VBA	450498	6242580	80.40%	2.663%
34	18.205	18.150	18.271	BB	419382	5715064	73.60%	2.438%
35	18.984	18.927	19.038	BB	364949	5059366	65.16%	2.158%
36	19.718	19.587	19.774	BB	289762	4152899	53.49%	1.771%

	Area	Height	Area%	Height%	Area	Height	Area%	Height%
37	20.415	20.359	20.477	BB	229761	3339676	43.01%	1.425%
38	21.192	21.127	21.280	BBA	116433	2532611	32.01%	1.425%
					Sum of corrected areas: 2344			

Aliphatic EPH 012425.M Sat Feb 01 04:53:53 2025

Instrument :
FID_D
ClientSampleId :
PB166432BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/03/2025
Supervised By :Ankita Jodhani 02/03/2025