

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD020224AR\
Data File : FD047162.D
Signal(s) : FID2B.ch
Acq On : 02 Feb 2024 13:28
Operator : YP/AJ
Sample : I.BLK
Misc :
ALS Vial : 51 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 05 07:18:19 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 010824.M
Quant Title : GC Extractables
QLast Update : Mon Jan 08 15:15:30 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
Target Compounds				
14) T	Benzo[a]anthracene (C...	14.481f	67532	0.481 ug/ml
16) T	benzo[b]fluoranthene ...	16.133	27625	0.190 ug/ml
17) T	Bnezo[k]fluoranthene ...	16.133	27625	0.187 ug/ml
20) T	Dibenz[a,h]anthracene...	17.894	40481	0.286 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD020224AR\
Data File : FD047162.D
Signal(s) : FID2B.ch
Acq On : 02 Feb 2024 13:28
Operator : YP/AJ
Sample : I.BLK
Misc :
ALS Vial : 51 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 05 07:18:19 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 010824.M
Quant Title : GC Extractables
QLast Update : Mon Jan 08 15:15:30 2024
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)

R.T.: 0.000 min
Exp R.T. : 7.470 min
Response: 0
Conc: N.D.




#6 2-Fluorobiphenyl (SURRE)

R.T.: 0.000 min
Exp R.T. : 8.322 min
Response: 0
Conc: N.D.




#11 ortho-Terphenyl (SURRE)

R.T.: 0.000 min
Exp R.T. : 11.356 min
Response: 0
Conc: N.D.




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.481 min
Delta R.T.: -0.062 min
Response: 67532
Conc: 0.48 ug/ml




#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.133 min
Delta R.T.: 0.049 min
Response: 27625
Conc: 0.19 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.133 min
Delta R.T.: 0.018 min
Response: 27625
Conc: 0.19 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.894 min
Delta R.T.: 0.037 min
Response: 40481
Conc: 0.29 ug/ml