

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD022025AR\
 Data File : FD049096.D
 Signal(s) : FID2B.ch
 Acq On : 20 Feb 2025 17:51
 Operator : YP/AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Feb 21 00:24:46 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 021125.M
 Quant Title : GC Extractables
 QLast Update : Wed Feb 12 12:54:29 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units
----------	------	----------	------------

System Monitoring Compounds

Target Compounds

14) T	Benzo[a]anthracene (C...	14.368f	432193	3.289 ug/ml
15) T	Chrysene (C27.41)	14.527f	73772	0.456 ug/ml
16) T	benzo[b]fluoranthene ...	16.024	86984	0.632 ug/ml
17) T	Bnezo[k]fluoranthene ...	16.024	86984	0.551 ug/ml
20) T	Dibenz[a,h]anthracene...	17.790	121438	0.783 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD022025AR\
Data File : FD049096.D
Signal(s) : FID2B.ch
Acq On : 20 Feb 2025 17:51
Operator : YP/AJ
Sample : I.BLK
Misc :
ALS Vial : 51 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Feb 21 00:24:46 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 021125.M
Quant Title : GC Extractables
QLast Update : Wed Feb 12 12:54:29 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)


R.T.: 0.000 min
Exp R.T. : 7.351 min
Response: 0
Conc: N.D.

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURRE)

R.T.: 0.000 min
Exp R.T. : 8.202 min
Response: 0
Conc: N.D.




#11 ortho-Terphenyl (SURRE)

R.T.: 0.000 min
Exp R.T. : 11.233 min
Response: 0
Conc: N.D.



#14 Benzo[a]anthracene (C26.37)


R.T.: 14.368 min
Delta R.T.: -0.061 min
Response: 432193
Conc: 3.29 ug/ml



#15 Chrysene (C27.41)


R.T.: 14.527 min
Delta R.T.: 0.057 min
Response: 73772
Conc: 0.46 ug/ml

Instrument :
FID_D
ClientSampleId :




#16 benzo[b]fluoranthene (C30.41)

R.T.: 16.024 min
Delta R.T.: 0.048 min
Response: 86984
Conc: 0.63 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.024 min
Delta R.T.: 0.017 min
Response: 86984
Conc: 0.55 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.790 min
Delta R.T.: 0.031 min
Response: 121438
Conc: 0.78 ug/ml