

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD022123AR\
 Data File : FD045102.D
 Signal(s) : FID2B.ch
 Acq On : 21 Feb 2023 20:20
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD ICV
 Misc :
 ALS Vial : 57 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Feb 22 06:31:13 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 022123.M
 Quant Title : GC Extractables
 QLast Update : Wed Feb 22 04:55:52 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.554	2608707	19.451 ug/ml
Spiked Amount 50.000		Recovery =	38.90%
6) S 2-Fluorobiphenyl (SURR)	8.410	1741886	19.436 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	38.87%
11) S ortho-Terphenyl (SURR)	11.452	3255421	19.355 ug/ml
Spiked Amount 50.000		Recovery =	38.71%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.364	2923781	19.529 ug/ml
2) T Naphthalene (C11.7)	5.894	3060634	19.494 ug/ml
3) T 2-Methylnaphthalene (...)	6.943	3058409	19.549 ug/ml
5) T Acenaphthylene (C15.06)	8.215	2785017	19.505 ug/ml
7) T Acenaphthene (C15.5)	8.510	2937245	19.478 ug/ml
8) T Fluorene (C16.55)	9.288	2873922	19.498 ug/ml
9) T Phenanthrene (C19.36)	10.680	2814366	19.442 ug/ml
10) T Anthracene (C19.43)	10.754	2623104	19.374 ug/ml
12) T Fluoranthene (C21.85)	12.486	2783114	19.417 ug/ml
13) T Pyrene (C20.8)	12.780	2717867	19.410 ug/ml
14) T Benzo[a]anthracene (C...	14.645	2473561	19.443 ug/ml
15) T Chrysene (C27.41)	14.687	2561265	19.343 ug/ml
16) T benzo[b]fluoranthene ...	16.188	2586332	19.720 ug/mlm
17) T Bnezo[k]fluoranthene ...	16.220	2495703	19.245 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.563	2486768	19.374 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.922	2428514	19.334 ug/mlm
20) T Dibenz[a,h]anthracene...	17.963	2357724	19.277 ug/ml
21) T Benzo[g,h,i]perylene ...	18.174	2471517	19.481 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD022123AR\
Data File : FD045102.D
Signal(s) : FID2B.ch
Acq On : 21 Feb 2023 20:20
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD ICV
Misc :
ALS Vial : 57 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Feb 22 06:31:13 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 022123.M
Quant Title : GC Extractables
QLast Update : Wed Feb 22 04:55:52 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

