

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD022323AR\
 Data File : FD045144.D
 Signal(s) : FID2B.ch
 Acq On : 23 Feb 2023 21:32
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 02/24/2023
 Supervised By :Ankita Jodhani 02/24/2023

Integration File: autoint1.e
 Quant Time: Feb 24 06:38:20 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 022123.M
 Quant Title : GC Extractables
 QLast Update : Wed Feb 22 04:55:52 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.553	2696035	20.102 ug/ml
Spiked Amount 50.000		Recovery =	40.20%
6) S 2-Fluorobiphenyl (SURR)	8.410	1794148	20.019 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	40.04%
11) S ortho-Terphenyl (SURR)	11.450	3335728	19.833 ug/ml
Spiked Amount 50.000		Recovery =	39.67%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.363	3010655	20.110 ug/ml
2) T Naphthalene (C11.7)	5.894	3137221	19.981 ug/ml
3) T 2-Methylnaphthalene (...)	6.942	3167311	20.245 ug/ml
5) T Acenaphthylene (C15.06)	8.213	2861596	20.042 ug/ml
7) T Acenaphthene (C15.5)	8.509	3037686	20.144 ug/ml
8) T Fluorene (C16.55)	9.288	2953260	20.036 ug/ml
9) T Phenanthrene (C19.36)	10.678	2898502	20.023 ug/ml
10) T Anthracene (C19.43)	10.752	2613963	19.307 ug/ml
12) T Fluoranthene (C21.85)	12.483	2817550	19.657 ug/ml
13) T Pyrene (C20.8)	12.778	2747741	19.623 ug/ml
14) T Benzo[a]anthracene (C...	14.643	2483043	19.518 ug/ml
15) T Chrysene (C27.41)	14.685	2589803	19.559 ug/ml
16) T benzo[b]fluoranthene ...	16.186	2561786	19.533 ug/mlm
17) T Bnezo[k]fluoranthene ...	16.218	2532970	19.533 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.560	2504323	19.511 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.918	2457484	19.565 ug/mlm
20) T Dibenz[a,h]anthracene...	17.961	2430884	19.875 ug/ml
21) T Benzo[g,h,i]perylene ...	18.172	2517215	19.841 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD022323AR\
 Data File : FD045144.D
 Signal(s) : FID2B.ch
 Acq On : 23 Feb 2023 21:32
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 20 PPM AROMATIC HC STD

Manual Integrations APPROVED

Reviewed By :Yogesh Patel 02/24/2023
 Supervised By :Ankita Jodhani 02/24/2023

Integration File: autoint1.e
 Quant Time: Feb 24 06:38:20 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 022123.M
 Quant Title : GC Extractables
 QLast Update : Wed Feb 22 04:55:52 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

