

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD030320AR\
 Data File : FD032465.D
 Signal(s) : FID2B.CH
 Acq On : 03 Mar 2020 21:25
 Operator : DD\AJ
 Sample : 20 PPM AROMATIC HC STD ICV
 Misc :
 ALS Vial : 58 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Mar 04 03:15:54 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 030320.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 04 03:14:19 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.623	2485718	19.232 ug/ml
Spiked Amount 50.000		Recovery =	38.46%
6) S 2-Fluorobiphenyl (SURR)	8.485	1717627	19.457 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	38.91%
11) S ortho-Terphenyl (SURR)	11.523	2691512	19.412 ug/ml
Spiked Amount 50.000		Recovery =	38.82%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.428	2515750	18.913 ug/ml
2) T Naphthalene (C11.7)	5.964	2707489	19.055 ug/ml
3) T 2-Methylnaphthalene (...)	7.014	2723336	19.185 ug/ml
5) T Acenaphthylene (C15.06)	8.288	2638729	19.290 ug/ml
7) T Acenaphthene (C15.5)	8.583	2743886	19.434 ug/ml
8) T Flouorene (C16.55)	9.362	2721759	19.416 ug/ml
9) T Phenanthrene (C19.36)	10.758	2731057	19.543 ug/ml
10) T Anthracene (C19.43)	10.831	2719229	19.422 ug/ml
12) T Fluoranthene (C21.85)	12.568	2732137	19.480 ug/ml
13) T Pyrene (C20.8)	12.864	2704997	19.673 ug/ml
14) T Benzo[a]anthracene (C...	14.735	2558427	19.606 ug/ml
15) T Chrysene (C27.41)	14.777	2608147	19.374 ug/ml
16) T benzo[b]fluoranthene ...	16.285	2508188	19.551 ug/ml
17) T Bnezo[k]fluoranthene ...	16.317	2537975	19.333 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.663	2486948	19.522 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.029	2313343	19.413 ug/ml
20) T Dibenz[a,h]anthracene...	18.068	2469550	19.532 ug/ml
21) T Benzo[g,h,i]perylene ...	18.282	2299792	19.454 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD030320AR\
Data File : FD032465.D
Signal(s) : FID2B.CH
Acq On : 03 Mar 2020 21:25
Operator : DD\AJ
Sample : 20 PPM AROMATIC HC STD ICV
Misc :
ALS Vial : 58 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Mar 04 03:15:54 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 030320.M
Quant Title : GC Extractables
QLast Update : Wed Mar 04 03:14:19 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.428 min
Delta R.T.: -0.001 min
Response: 2515750
Conc: 18.91 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 5.964 min
Delta R.T.: 0.000 min
Response: 2707489
Conc: 19.06 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 7.014 min
Delta R.T.: 0.000 min
Response: 2723336
Conc: 19.18 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.623 min
Delta R.T.: 0.000 min
Response: 2485718
Conc: 19.23 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.288 min
Delta R.T.: 0.000 min
Response: 2638729
Conc: 19.29 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.485 min
Delta R.T.: 0.000 min
Response: 1717627
Conc: 19.46 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.583 min
Delta R.T.: 0.001 min
Response: 2743886
Conc: 19.43 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.362 min
Delta R.T.: 0.000 min
Response: 2721759
Conc: 19.42 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.758 min
Delta R.T.: 0.002 min
Response: 2731057
Conc: 19.54 ug/ml

Instrument :
FID_D
ClientSampleId :




#10 Anthracene (C19.43)

R.T.: 10.831 min
Delta R.T.: 0.002 min
Response: 2719229
Conc: 19.42 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.523 min
Delta R.T.: 0.002 min
Response: 2691512
Conc: 19.41 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.568 min
Delta R.T.: 0.003 min
Response: 2732137
Conc: 19.48 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.864 min
Delta R.T.: 0.003 min
Response: 2704997
Conc: 19.67 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.735 min
Delta R.T.: 0.004 min
Response: 2558427
Conc: 19.61 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.777 min
Delta R.T.: 0.004 min
Response: 2608147
Conc: 19.37 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.285 min
Delta R.T.: 0.005 min
Response: 2508188
Conc: 19.55 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.317 min
Delta R.T.: 0.006 min
Response: 2537975
Conc: 19.33 ug/ml

Instrument :
FID_D
ClientSampleId :




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.663 min
Delta R.T.: 0.004 min
Response: 2486948
Conc: 19.52 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 18.029 min
Delta R.T.: 0.005 min
Response: 2313343
Conc: 19.41 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.068 min
Delta R.T.: 0.004 min
Response: 2469550
Conc: 19.53 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.282 min
Delta R.T.: 0.007 min
Response: 2299792
Conc: 19.45 ug/ml

Instrument :
FID_D
ClientSampleId :