

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD030320AR\
 Data File : FD032467.D
 Signal(s) : FID2B.CH
 Acq On : 03 Mar 2020 22:40
 Operator : DD\AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Mar 04 03:16:09 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 030320.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 04 03:14:19 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.623	2508678	19.410 ug/ml
Spiked Amount 50.000		Recovery =	38.82%
6) S 2-Fluorobiphenyl (SURR)	8.485	1728278	19.577 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	39.15%
11) S ortho-Terphenyl (SURR)	11.522	2699924	19.472 ug/ml
Spiked Amount 50.000		Recovery =	38.94%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.427	2544303	19.128 ug/ml
2) T Naphthalene (C11.7)	5.964	2735248	19.251 ug/ml
3) T 2-Methylnaphthalene (...)	7.014	2756943	19.422 ug/ml
5) T Acenaphthylene (C15.06)	8.288	2659569	19.442 ug/ml
7) T Acenaphthene (C15.5)	8.583	2754021	19.506 ug/ml
8) T Flouorene (C16.55)	9.362	2744331	19.577 ug/ml
9) T Phenanthrene (C19.36)	10.757	2743356	19.631 ug/ml
10) T Anthracene (C19.43)	10.831	2726349	19.473 ug/ml
12) T Fluoranthene (C21.85)	12.567	2740186	19.538 ug/ml
13) T Pyrene (C20.8)	12.864	2696859	19.614 ug/ml
14) T Benzo[a]anthracene (C...	14.735	2545830	19.510 ug/ml
15) T Chrysene (C27.41)	14.777	2597382	19.294 ug/ml
16) T benzo[b]fluoranthene ...	16.285	2504585	19.523 ug/ml
17) T Bnezo[k]fluoranthene ...	16.317	2530935	19.279 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.663	2484123	19.500 ug/ml
19) T Indeno[1,2,3-cd]pyren...	18.029	2327660	19.533 ug/ml
20) T Dibenz[a,h]anthracene...	18.067	2476992	19.590 ug/ml
21) T Benzo[g,h,i]perylene ...	18.283	2325555	19.672 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD030320AR\
Data File : FD032467.D
Signal(s) : FID2B.CH
Acq On : 03 Mar 2020 22:40
Operator : DD\AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 60 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Mar 04 03:16:09 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 030320.M
Quant Title : GC Extractables
QLast Update : Wed Mar 04 03:14:19 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.427 min
Delta R.T.: -0.002 min
Response: 2544303
Conc: 19.13 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 5.964 min
Delta R.T.: 0.000 min
Response: 2735248
Conc: 19.25 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 7.014 min
Delta R.T.: 0.000 min
Response: 2756943
Conc: 19.42 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.623 min
Delta R.T.: 0.000 min
Response: 2508678
Conc: 19.41 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.288 min
Delta R.T.: 0.000 min
Response: 2659569
Conc: 19.44 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.485 min
Delta R.T.: 0.000 min
Response: 1728278
Conc: 19.58 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.583 min
Delta R.T.: 0.001 min
Response: 2754021
Conc: 19.51 ug/ml



#8 Fluorene (C16.55)


R.T.: 9.362 min
Delta R.T.: 0.000 min
Response: 2744331
Conc: 19.58 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.757 min
Delta R.T.: 0.002 min
Response: 2743356
Conc: 19.63 ug/ml

Instrument :
FID_D
ClientSampleId :




#10 Anthracene (C19.43)

R.T.: 10.831 min
Delta R.T.: 0.002 min
Response: 2726349
Conc: 19.47 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.522 min
Delta R.T.: 0.002 min
Response: 2699924
Conc: 19.47 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.567 min
Delta R.T.: 0.003 min
Response: 2740186
Conc: 19.54 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.864 min
Delta R.T.: 0.003 min
Response: 2696859
Conc: 19.61 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.735 min
Delta R.T.: 0.004 min
Response: 2545830
Conc: 19.51 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.777 min
Delta R.T.: 0.005 min
Response: 2597382
Conc: 19.29 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.285 min
Delta R.T.: 0.005 min
Response: 2504585
Conc: 19.52 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.317 min
Delta R.T.: 0.007 min
Response: 2530935
Conc: 19.28 ug/ml

Instrument :
FID_D
ClientSampleId :




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.663 min
Delta R.T.: 0.004 min
Response: 2484123
Conc: 19.50 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 18.029 min
Delta R.T.: 0.005 min
Response: 2327660
Conc: 19.53 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 18.067 min
Delta R.T.: 0.004 min
Response: 2476992
Conc: 19.59 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.283 min
Delta R.T.: 0.008 min
Response: 2325555
Conc: 19.67 ug/ml

Instrument :
FID_D
ClientSampleId :