

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD031021AL\
 Data File : FD036348.D
 Signal(s) : FID2B.CH
 Acq On : 10 Mar 2021 18:10
 Operator : DD\AJ
 Sample : M1616-01
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Mar 11 00:45:47 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 030321.M
 Quant Title : GC Extractables
 QLast Update : Thu Mar 04 02:25:05 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.504	5898354	41.689 ug/ml
Spiked Amount 50.000		Recovery =	83.38%
12) S 1-chlorooctadecane (S...	12.934	4485815	39.255 ug/ml
Spiked Amount 50.000		Recovery =	78.51%
Target Compounds			
3) T A~Naphthalene (C11.7)	5.943	112888	0.829 ug/ml
5) T A~2-methylnaphthalene...	6.989	316369	2.268 ug/ml
6) T n-Tetradecane (C14)	8.213	333967	2.659 ug/ml
7) T n-Hexadecane (C16)	9.753	220665	1.753 ug/ml
8) T n-Octadecane (C18)	11.186	93834	0.708 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD031021AL\
Data File : FD036348.D
Signal(s) : FID2B.CH
Acq On : 10 Mar 2021 18:10
Operator : DD\AJ
Sample : M1616-01
Misc :
ALS Vial : 62 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Mar 11 00:45:47 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 030321.M
Quant Title : GC Extractables
QLast Update : Thu Mar 04 02:25:05 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#3 A~Naphthalene (C11.7)


R.T.: 5.943 min
Delta R.T.: -0.002 min
Response: 112888
Conc: 0.83 ug/ml

Instrument :
FID_D
ClientSampleId :




#5 A~2-methylnaphthalene (C12.89)

R.T.: 6.989 min
Delta R.T.: -0.009 min
Response: 316369
Conc: 2.27 ug/ml




#6 n-Tetradecane (C14)

R.T.: 8.213 min
Delta R.T.: 0.046 min
Response: 333967
Conc: 2.66 ug/ml



#7 n-Hexadecane (C16)


R.T.: 9.753 min
Delta R.T.: -0.009 min
Response: 220665
Conc: 1.75 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.186 min
Delta R.T.: -0.011 min
Response: 93834
Conc: 0.71 ug/ml

Instrument :
FID_D
ClientSampleId :



#9 ortho-Terphenyl (SURR)

R.T.: 11.504 min
Delta R.T.: -0.007 min
Response: 5898354
Conc: 41.69 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 12.934 min
Delta R.T.: -0.010 min
Response: 4485815
Conc: 39.26 ug/ml