

rters

Instrument :
FID_D
LabSampleId :
20 PPM AROMATIC HC STD
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/16/2022
Supervised By :Ankita Jodhani 03/17/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD03152
Data File : FD041564.D
Signal(s) : FID2B.CH
Acq On : 16 Mar 2022 1:09
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 022322.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.179	4.125	4.271	BV	404436	3625453	91.62%	5.283%
2	5.699	5.631	5.941	BB	362266	3770042	95.28%	5.493%
3	6.745	6.685	6.865	BV	349672	3664631	92.61%	5.340%
4	7.356	7.285	7.558	BB	299357	3261662	82.43%	4.753%
5	8.008	7.945	8.178	BV	346341	3605745	91.12%	5.254%
6	8.206	8.178	8.275	PV	186177	2096888	52.99%	3.055%
7	8.302	8.275	8.488	VB	377872	3956980	100.00%	5.766%
8	9.079	9.021	9.265	BV	314598	3488442	88.16%	5.083%
9	10.466	10.375	10.515	BV	301321	3330517	84.17%	4.853%
10	10.540	10.515	10.761	VB	268154	3314994	83.78%	4.830%
11	11.238	11.095	11.341	BB	323566	3559294	89.95%	5.186%
12	12.268	11.995	12.431	BB	275827	3213643	81.21%	4.683%
13	12.561	12.508	12.616	BBA	275933	3158157	79.81%	4.602%
14	14.430	14.394	14.450	PV	241560	2887145	72.96%	4.207%
15	14.471	14.450	14.651	VB	243796	3282600	82.96%	4.783%
16	15.977	15.835	15.992	BV	236322	2994397	75.67%	4.363%
17	16.008	15.992	16.155	VB	252072	3209118	81.10%	4.676%
18	16.352	16.315	16.451	PV	218958	2960000	74.80%	4.313%
19	17.717	17.680	17.735	VV	221251	2889368	73.02%	4.210%
20	17.757	17.735	17.878	VV	223747	3338793	84.38%	4.865%
21	17.968	17.926	18.079	VV	211603	3021064	76.35%	4.402%
Sum of corrected areas:						68628933		

Aromatic EPH 022322.M Wed Mar 16 09:41:21 2022