

rteres

Instrument :

FID_D

ClientSampleId :

TPK-2

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD03162

Data File : FD041614.D

Signal(s) : FID2B.CH

Acq On : 17 Mar 2022 21:53

Sample : N1956-02

Misc :

ALS Vial : 64 Sample Multiplier: 1

Reviewed By :Yogesh Patel 03/18/2022

Supervised By :Ankita Jodhani 03/18/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 022322.M

Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	6.142	6.115	6.185	BV	4330	52782	0.70%	0.183%
2	7.355	7.328	7.501	PV	713829	7516454	100.00%	26.052%
3	7.836	7.798	7.852	VV	5346	77115	1.03%	0.267%
4	8.203	8.161	8.285	PV	398596	4699821	62.53%	16.290%
5	8.301	8.285	8.360	VV	7664	145519	1.94%	0.504%
6	8.638	8.605	8.698	PV	16608	197228	2.62%	0.684%
7	10.469	10.358	10.538	BV	29880	457833	6.09%	1.587%
8	10.561	10.538	10.675	VV	3840	102934	1.37%	0.357%
9	11.124	11.102	11.187	VV	5591	88813	1.18%	0.308%
10	11.235	11.187	11.288	PV	542746	6011567	79.98%	20.836%
11	11.303	11.288	11.345	VV	5610	89715	1.19%	0.311%
12	11.379	11.345	11.398	PV	4114	50726	0.67%	0.176%
13	11.414	11.398	11.433	VV	3087	36358	0.48%	0.126%
14	12.158	12.115	12.180	VV	6903	114974	1.53%	0.399%
15	12.268	12.245	12.358	VV	33686	537775	7.15%	1.864%
16	12.560	12.538	12.618	PBA	30141	417737	5.56%	1.448%
17	12.671	12.618	12.731	BV	85260	1028871	13.69%	3.566%
18	13.167	13.101	13.211	PV	2905	78342	1.04%	0.272%
19	13.305	13.285	13.320	VV	2844	43132	0.57%	0.149%
20	13.426	13.388	13.454	PV	4679	71584	0.95%	0.248%
21	13.877	13.807	13.945	PB	1645	66918	0.89%	0.232%
22	14.124	14.101	14.171	VV	4674	75711	1.01%	0.262%
23	14.439	14.383	14.456	PV	10515	153021	2.04%	0.530%
24	14.475	14.456	14.509	VV	13020	224813	2.99%	0.779%
25	14.590	14.543	14.634	VV	3228	98004	1.30%	0.340%
26	14.936	14.883	14.973	PV	3199	118083	1.57%	0.409%
27	15.005	14.973	15.031	VV	2282	51448	0.68%	0.178%
28	15.048	15.031	15.082	VV	3060	45780	0.61%	0.159%
29	15.111	15.082	15.136	VV	4772	88234	1.17%	0.306%
30	15.269	15.188	15.318	VV	3199	111103	1.48%	0.385%
31	15.453	15.318	15.472	VV	2514	113360	1.51%	0.393%
32	15.534	15.472	15.556	VV	4048	124074	1.65%	0.430%
33	15.565	15.556	15.588	VV	2485	39072	0.52%	0.135%
34	15.607	15.588	15.656	VV	2277	53448	0.71%	0.185%
35	15.702	15.656	15.731	PV	3479	95954	1.28%	0.333%
36	15.789	15.731	15.832	VV	4005	136765	1.82%	0.474%

					retention			
37	15.857	15.832	15.870	VV	1942	37920	0.50%	0.131%
38	15.893	15.870	15.924	VV	4045	82575		
39	15.983	15.924	16.045	VV	17512	465525		
40	16.084	16.045	16.097	VV	6046	120428		
41	16.115	16.097	16.140	VV	6854	122947		
42	16.161	16.140	16.177	VV	3579	69971		
43	16.202	16.177	16.219	VV	4040	69700	0.93%	0.242%
44	16.268	16.219	16.277	VV	4785	87257	1.16%	0.302%
45	16.300	16.277	16.341	VV	10049	200348	2.67%	0.694%
46	16.363	16.341	16.391	VV	9894	176222	2.34%	0.611%
47	16.406	16.391	16.423	VV	3430	55126	0.73%	0.191%
48	16.436	16.423	16.448	VV	3121	38459	0.51%	0.133%
49	16.470	16.448	16.494	VV	6513	119602	1.59%	0.415%
50	16.521	16.494	16.592	VV	14886	295423	3.93%	1.024%
51	16.603	16.592	16.628	VV	2964	48519	0.65%	0.168%
52	16.672	16.628	16.691	VV	4302	93523	1.24%	0.324%
53	16.728	16.691	16.741	VV	4226	91010	1.21%	0.315%
54	16.762	16.741	16.788	VV	6098	117523	1.56%	0.407%
55	16.809	16.788	16.820	VV	3946	64817	0.86%	0.225%
56	16.854	16.820	16.903	VV	4884	172025	2.29%	0.596%
57	16.930	16.903	16.952	VV	4297	96616	1.29%	0.335%
58	17.017	17.002	17.045	VV	3770	65695	0.87%	0.228%
59	17.072	17.045	17.106	VV	7480	140659	1.87%	0.488%
60	17.131	17.106	17.145	PV	2821	44706	0.59%	0.155%
61	17.159	17.145	17.192	VV	3537	64470	0.86%	0.223%
62	17.260	17.192	17.285	VV	3987	129669	1.73%	0.449%
63	17.299	17.285	17.308	VV	2890	29487	0.39%	0.102%
64	17.332	17.308	17.344	VV	6189	86391	1.15%	0.299%
65	17.359	17.344	17.393	VV	4818	91682	1.22%	0.318%
66	17.436	17.425	17.444	VV	3677	36225	0.48%	0.126%
67	17.468	17.444	17.498	VV	7267	144194	1.92%	0.500%
68	17.515	17.498	17.525	VV	3562	51048	0.68%	0.177%
69	17.657	17.561	17.668	VV	4630	164413	2.19%	0.570%
70	17.681	17.668	17.711	VV	3965	79354	1.06%	0.275%
71	17.735	17.711	17.763	VV	8677	198669	2.64%	0.689%
72	17.788	17.763	17.815	VV	9789	204505	2.72%	0.709%
73	17.827	17.815	17.852	VV	4911	65271	0.87%	0.226%
74	17.874	17.852	17.885	VV	4413	64401	0.86%	0.223%
75	17.912	17.885	17.946	VV	5911	147866	1.97%	0.513%
76	17.974	17.946	18.035	VV	10045	241490	3.21%	0.837%
77	18.169	18.086	18.184	VV	5451	217446	2.89%	0.754%
78	18.195	18.184	18.211	VV	3599	45690	0.61%	0.158%
79	18.217	18.211	18.248	VV	3522	58617	0.78%	0.203%
80	18.254	18.248	18.268	VV	3666	25378	0.34%	0.088%
81	18.299	18.268	18.371	VV	5777	211395	2.81%	0.733%
82	18.438	18.371	18.461	PV	5995	130718	1.74%	0.453%
83	18.492	18.461	18.501	PBA	2188	71222	0.95%	0.247%

Sum of corrected areas: 28851264

Instrument :

FID_D

ClientSampleId :

TPK-2

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/18/2022
Supervised By :Ankita Jodhani 03/18/2022