

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD031622AR\
 Data File : FD041592.D
 Signal(s) : FID2B.CH
 Acq On : 16 Mar 2022 21:58
 Operator : UA/NP
 Sample : N1908-11DL 10X
 Misc :
 ALS Vial : 67 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 D-17-4-SB-14-(9.5-10)DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 03/17/2022
 Supervised By :Ankita Jodhani 03/18/2022

Integration File: autoint1.e
 Quant Time: Mar 17 04:01:17 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 022322.M
 Quant Title : GC Extractables
 QLast Update : Wed Feb 23 17:10:31 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.356	693366	4.291 ug/mlm
Spiked Amount 50.000		Recovery =	8.58%
6) S 2-Fluorobiphenyl (SURR)	8.207	300924	2.891 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	5.78%
11) S ortho-Terphenyl (SURR)	11.261	1387423	7.910 ug/mlm
Spiked Amount 50.000		Recovery =	15.82%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD031622AR\
Data File : FD041592.D
Signal(s) : FID2B.CH
Acq On : 16 Mar 2022 21:58
Operator : UA/NP
Sample : N1908-11DL 10X
Misc :
ALS Vial : 67 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
D-17-4-SB-14-(9.5-10)DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 03/17/2022
Supervised By :Ankita Jodhani 03/18/2022

Integration File: autoint1.e
Quant Time: Mar 17 04:01:17 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 022322.M
Quant Title : GC Extractables
QLast Update : Wed Feb 23 17:10:31 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.356 min
Delta R.T.: -0.011 min
Response: 693366
Conc: 4.29 ug/ml

Instrument :
FID_D
ClientSampleId :
D-17-4-SB-14-(9.5-10)DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 03/17/2022
Supervised By :Ankita Jodhani 03/18/2022



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.207 min
Delta R.T.: -0.008 min
Response: 300924
Conc: 2.89 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 11.261 min
Delta R.T.: 0.015 min
Response: 1387423
Conc: 7.91 ug/ml m