

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD032323AR\
 Data File : FD045318.D
 Signal(s) : FID2B.ch
 Acq On : 23 Mar 2023 07:49
 Operator : YP/AJ
 Sample : MECL2
 Misc :
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Mar 24 01:34:32 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 030123.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 01 16:43:59 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
Target Compounds			
14) T Benzo[a]anthracene (C...	14.671	41582	0.326 ug/ml
15) T Chrysene (C27.41)	14.671	41582	0.319 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.946	111032	0.928 ug/ml
20) T Dibenz[a,h]anthracene...	17.946	111032	0.920 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD032323AR\
Data File : FD045318.D
Signal(s) : FID2B.ch
Acq On : 23 Mar 2023 07:49
Operator : YP/AJ
Sample : MECL2
Misc :
ALS Vial : 51 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Mar 24 01:34:32 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 030123.M
Quant Title : GC Extractables
QLast Update : Wed Mar 01 16:43:59 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)


R.T.: 0.000 min
Exp R.T.: 7.552 min
Response: 0
Conc: N.D.

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 0.000 min
Exp R.T.: 8.408 min
Response: 0
Conc: N.D.




#11 ortho-Terphenyl (SURR)

R.T.: 0.000 min
Exp R.T.: 11.448 min
Response: 0
Conc: N.D.



#14 Benzo[a]anthracene (C26.37)


R.T.: 14.671 min
Delta R.T.: 0.030 min
Response: 41582
Conc: 0.33 ug/ml



#15 Chrysene (C27.41)


R.T.: 14.671 min
Delta R.T.: -0.012 min
Response: 41582
Conc: 0.32 ug/ml

Instrument :
FID_D
ClientSampleId :



#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.946 min
Delta R.T.: 0.032 min
Response: 111032
Conc: 0.93 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.946 min
Delta R.T.: -0.012 min
Response: 111032
Conc: 0.92 ug/ml