

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD032422AR\
 Data File : FD041696.D
 Signal(s) : FID2B.CH
 Acq On : 24 Mar 2022 18:05
 Operator : UA/NP
 Sample : PB143566BS
 Misc :
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 PB143566BS

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 03/25/2022
 Supervised By :mohammad ahmed 03/30/2022

Integration File: autoint1.e
 Quant Time: Mar 25 02:58:45 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 032222.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 22 17:33:18 2022
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.350	7098521	44.258 ug/ml
Spiked Amount 50.000		Recovery =	88.52%
6) S 2-Fluorobiphenyl (SURR)	8.199	4592231	46.472 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	92.94%
11) S ortho-Terphenyl (SURR)	11.232	7675558	39.484 ug/ml
Spiked Amount 50.000		Recovery =	78.97%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.172	5165533	29.491 ug/ml
2) T Naphthalene (C11.7)	5.692	5703727	32.327 ug/ml
3) T 2-Methylnaphthalene (...)	6.738	5763828	36.026 ug/ml
5) T Acenaphthylene (C15.06)	8.001	5981641	32.323 ug/ml
7) T Acenaphthene (C15.5)	8.295	6433492	33.513 ug/ml
8) T Flouorene (C16.55)	9.073	6488355	36.778 ug/ml
9) T Phenanthrene (C19.36)	10.461	6784486	38.896 ug/ml
10) T Anthracene (C19.43)	10.536	6922503	38.033 ug/ml
12) T Fluoranthene (C21.85)	12.263	6747342	38.220 ug/mlm
13) T Pyrene (C20.8)	12.557	6632472	39.230 ug/ml
14) T Benzo[a]anthracene (C...	14.427	5753756	38.479 ug/ml
15) T Chrysene (C27.41)	14.468	5608303	31.158 ug/ml
16) T benzo[b]fluoranthene ...	15.974	5374344	36.242 ug/ml
17) T Bnezo[k]fluoranthene ...	16.006	5733686	34.699 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.349	4856833	34.530 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.715	4642233	42.148 ug/ml
20) T Dibenz[a,h]anthracene...	17.753	5295648	36.579 ug/ml
21) T Benzo[g,h,i]perylene ...	17.965	5420877	40.845 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD032422AR\
Data File : FD041696.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2022 18:05
Operator : UA/NP
Sample : PB143566BS
Misc :
ALS Vial : 55 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :
PB143566BS

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 03/25/2022
Supervised By :mohammad ahmed 03/30/2022

Integration File: autoint1.e
Quant Time: Mar 25 02:58:45 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 032222.M
Quant Title : GC Extractables
QLast Update : Tue Mar 22 17:33:18 2022
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

