

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD032823AR\
 Data File : FD045360.D
 Signal(s) : FID2B.ch
 Acq On : 27 Mar 2023 20:09
 Operator : YP/AJ
 Sample : 10 PPM AROMATIC HC STD4
 Misc :
 ALS Vial : 59 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Mar 28 05:53:22 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 0302823.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 28 05:53:11 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.548	1491879	10.995 ug/ml
Spiked Amount 50.000		Recovery =	21.99%
6) S 2-Fluorobiphenyl (SURR)	8.403	971710	10.898 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	21.80%
11) S ortho-Terphenyl (SURR)	11.444	1899984	11.107 ug/ml
Spiked Amount 50.000		Recovery =	22.21%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.359	1721417	11.213 ug/ml
2) T Naphthalene (C11.7)	5.888	1769258	11.139 ug/ml
3) T 2-Methylnaphthalene (...)	6.937	1750620	11.066 ug/ml
5) T Acenaphthylene (C15.06)	8.208	1588150	10.977 ug/ml
7) T Acenaphthene (C15.5)	8.502	1684354	10.971 ug/ml
8) T Fluorene (C16.55)	9.281	1614909	10.921 ug/ml
9) T Phenanthrene (C19.36)	10.672	1566057	10.900 ug/ml
10) T Anthracene (C19.43)	10.745	1483238	10.815 ug/ml
12) T Fluoranthene (C21.85)	12.476	1566201	11.016 ug/ml
13) T Pyrene (C20.8)	12.771	1517110	10.942 ug/ml
14) T Benzo[a]anthracene (C...	14.634	1378317	10.898 ug/ml
15) T Chrysene (C27.41)	14.677	1439108	11.037 ug/ml
16) T benzo[b]fluoranthene ...	16.177	1396600	10.901 ug/ml
17) T Bnezo[k]fluoranthene ...	16.208	1379463	11.053 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.551	1362272	10.961 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.907	1263101	10.762 ug/ml
20) T Dibenz[a,h]anthracene...	17.951	1301324	11.209 ug/ml
21) T Benzo[g,h,i]perylene ...	18.159	1354668	11.021 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD032823AR\
Data File : FD045360.D
Signal(s) : FID2B.ch
Acq On : 27 Mar 2023 20:09
Operator : YP/AJ
Sample : 10 PPM AROMATIC HC STD4
Misc :
ALS Vial : 59 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Mar 28 05:53:22 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 0302823.M
Quant Title : GC Extractables
QLast Update : Tue Mar 28 05:53:11 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm

