

rteres

Instrument :

FID_D

ClientSampleId :

S-4MSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD03302
 Data File : FD041823.D
 Signal(s) : FID2B.CH
 Acq On : 30 Mar 2022 23:36
 Sample : N2161-05MSD
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Reviewed By :Yogesh Patel 03/31/2022

Supervised By :mohammad ahmed 04/01/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 032222.M
 Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.326	2.302	2.348	VV	3778	36686	0.65%	0.032%
2	2.370	2.348	2.435	PB	3540	31643	0.56%	0.028%
3	2.543	2.485	2.607	BV	133792	1180114	20.94%	1.043%
4	2.628	2.607	2.715	VV	130569	1812130	32.15%	1.602%
5	2.849	2.802	2.932	BB	3926	52236	0.93%	0.046%
6	3.088	3.035	3.178	BB	33454	328180	5.82%	0.290%
7	4.137	4.078	4.148	BV	40737	359050	6.37%	0.317%
8	4.167	4.148	4.272	VV	474675	4345966	77.11%	3.843%
9	5.689	5.552	5.846	BV	430830	4561696	80.94%	4.034%
10	6.134	6.062	6.232	BB	44438	473075	8.39%	0.418%
11	6.735	6.708	6.895	PV	422711	4661957	82.72%	4.122%
12	7.347	7.322	7.588	PV	500987	5386242	95.57%	4.763%
13	7.911	7.858	7.962	BV	44798	476187	8.45%	0.421%
14	7.998	7.962	8.172	PV	451492	4850751	86.07%	4.289%
15	8.196	8.172	8.264	PV	289957	3422412	60.72%	3.026%
16	8.292	8.264	8.528	VB	505683	5440642	96.53%	4.811%
17	8.631	8.562	8.702	BV	17572	191403	3.40%	0.169%
18	9.069	8.888	9.258	BV	443851	5219069	92.60%	4.615%
19	9.496	9.418	9.565	BB	43772	499882	8.87%	0.442%
20	10.259	10.155	10.388	BB	5767	171464	3.04%	0.152%
21	10.456	10.412	10.504	BV	483903	5497018	97.53%	4.861%
22	10.531	10.504	10.795	VB	423519	5574472	98.91%	4.929%
23	10.926	10.842	10.982	BV	48008	553314	9.82%	0.489%
24	11.225	11.142	11.335	BB	374778	4180051	74.17%	3.696%
25	11.647	11.615	11.732	BB	5256	76896	1.36%	0.068%
26	12.226	12.173	12.235	VV	44669	487592	8.65%	0.431%
27	12.259	12.235	12.401	VV	460809	5636106	100.00%	4.984%
28	12.551	12.522	12.617	BBA	462936	5368219	95.25%	4.747%
29	12.663	12.618	12.692	BV	85023	994543	17.65%	0.879%
30	12.710	12.692	12.802	VV	7540	68470	1.21%	0.061%
31	12.833	12.802	12.867	PV	44001	517869	9.19%	0.458%
32	12.891	12.867	12.925	VV	3665	50782	0.90%	0.045%
33	13.415	13.385	13.502	BB	41173	523827	9.29%	0.463%
34	13.838	13.675	13.942	BB	7464	151536	2.69%	0.134%
35	14.042	14.017	14.108	PV	3461	67681	1.20%	0.060%
36	14.420	14.372	14.441	BV	389178	4754909	84.37%	4.204%

					rters			
37	14.462	14.441	14.493	VV	365243	4787360	84.94%	4.233%
38	14.509	14.493	14.715	VB	47322	855894	15.06%	0.479%
39	15.527	15.488	15.605	BB	35233	468015	8.41%	0.388%
40	15.970	15.925	15.985	BV	358986	4756816	84.94%	4.233%
41	16.001	15.985	16.069	VV	379050	4932248	87.06%	3.732%
42	16.291	16.235	16.318	PBA	3792	34138	0.03%	0.001%
43	16.344	16.318	16.436	BV	303751	4220140	74.88%	3.732%
44	16.469	16.436	16.588	VB	34815	541670	9.61%	0.479%
45	17.354	17.302	17.408	BV	31248	438620	7.78%	0.388%
46	17.713	17.673	17.729	PV	336662	4411011	78.26%	3.900%
47	17.750	17.729	17.928	VV	322254	4880130	86.59%	4.315%
48	17.964	17.928	18.102	VBA	327629	4762219	84.49%	4.211%
Sum of corrected areas:					113092330			

Instrument :
FID_D
ClientSampleId :
S-4MSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 03/31/2022
Supervised By :mohammad ahmed 04/01/2022

Aromatic EPH 032222.M Thu Mar 31 13:34:42 2022