

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD040723AR\
 Data File : FD045436.D
 Signal(s) : FID2B.ch
 Acq On : 07 Apr 2023 10:03
 Operator : YP/AJ
 Sample : 02139-01DL 10X
 Misc :
 ALS Vial : 56 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :
 WASTE DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 04/10/2023
 Supervised By :Ankita Jodhani 04/10/2023

Integration File: autoint1.e
 Quant Time: Apr 10 04:40:28 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 0302823.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 28 05:56:14 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.549	1700998	12.415 ug/mlm
Spiked Amount 50.000		Recovery =	24.83%
6) S 2-Fluorobiphenyl (SURR)	8.401	1112613	12.411 ug/mlm
Spiked Amount 50.000 Range 0 - 131		Recovery =	24.82%
11) S ortho-Terphenyl (SURR)	11.442	1051325	6.043 ug/mlm
Spiked Amount 50.000		Recovery =	12.09%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD040723AR\
Data File : FD045436.D
Signal(s) : FID2B.ch
Acq On : 07 Apr 2023 10:03
Operator : YP/AJ
Sample : 02139-01DL 10X
Misc :
ALS Vial : 56 Sample Multiplier: 1


Instrument :
FID_D
ClientSampleId :
WASTE DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 04/10/2023
Supervised By :Ankita Jodhani 04/10/2023

Integration File: autoint1.e
Quant Time: Apr 10 04:40:28 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 0302823.
Quant Title : GC Extractables
QLast Update : Tue Mar 28 05:56:14 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURR)

R.T.: 7.549 min
Delta R.T.: 0.000 min
Response: 1700998
Conc: 12.42 ug/ml

Instrument :
FID_D
ClientSampleId :
WASTE DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 04/10/2023
Supervised By :Ankita Jodhani 04/10/2023



#6 2-Fluorobiphenyl (SURR)

R.T.: 8.401 min
Delta R.T.: -0.003 min
Response: 1112613
Conc: 12.41 ug/ml m



#11 ortho-Terphenyl (SURR)

R.T.: 11.442 min
Delta R.T.: -0.003 min
Response: 1051325
Conc: 6.04 ug/ml m