

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD040921AR\
 Data File : FD036837.D
 Signal(s) : FID2B.CH
 Acq On : 10 Apr 2021 4:25
 Operator : DD\AJ
 Sample : M1967-01D
 Misc :
 ALS Vial : 75 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Apr 10 06:44:21 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 032321.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 24 11:18:39 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.591	4597053	32.686 ug/ml
Spiked Amount 50.000		Recovery =	65.37%
6) S 2-Fluorobiphenyl (SURR)	8.452	2899356	30.887 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	61.77%
11) S ortho-Terphenyl (SURR)	11.491	3159034	20.684 ug/ml
Spiked Amount 50.000		Recovery =	41.37%
Target Compounds			
9) T Phenanthrene (C19.36)	10.721	91925	0.627 ug/ml
12) T Fluoranthene (C21.85)	12.529	255584	1.820 ug/ml
13) T Pyrene (C20.8)	12.825	189691	1.383 ug/ml
14) T Benzo[a]anthracene (C...	14.693	114063	0.960 ug/ml
15) T Chrysene (C27.41)	14.734	117591	0.972 ug/ml
16) T benzo[b]fluoranthene ...	16.241	93767	0.855 ug/ml
17) T Bnezo[k]fluoranthene ...	16.241	93767	0.882 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.617	111080	1.115 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.976	102651	1.021 ug/ml
20) T Dibenz[a,h]anthracene...	17.976	102651	1.018 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD040921AR\
Data File : FD036837.D
Signal(s) : FID2B.CH
Acq On : 10 Apr 2021 4:25
Operator : DD\AJ
Sample : M1967-01D
Misc :
ALS Vial : 75 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Apr 10 06:44:21 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 032321.M
Quant Title : GC Extractables
QLast Update : Wed Mar 24 11:18:39 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#4 2-Bromonaphthalene (SURRE)


R.T.: 7.591 min
Delta R.T.: -0.002 min
Response: 4597053
Conc: 32.69 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURRE)

R.T.: 8.452 min
Delta R.T.: 0.000 min
Response: 2899356
Conc: 30.89 ug/ml




#9 Phenanthrene (C19.36)

R.T.: 10.721 min
Delta R.T.: -0.005 min
Response: 91925
Conc: 0.63 ug/ml



#11 ortho-Terphenyl (SURRE)


R.T.: 11.491 min
Delta R.T.: -0.003 min
Response: 3159034
Conc: 20.68 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.529 min
Delta R.T.: -0.005 min
Response: 255584
Conc: 1.82 ug/ml

Instrument :
FID_D
ClientSampleId :




#13 Pyrene (C20.8)

R.T.: 12.825 min
Delta R.T.: -0.006 min
Response: 189691
Conc: 1.38 ug/ml




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.693 min
Delta R.T.: -0.004 min
Response: 114063
Conc: 0.96 ug/ml



#15 Chrysene (C27.41)


R.T.: 14.734 min
Delta R.T.: -0.006 min
Response: 117591
Conc: 0.97 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.241 min
Delta R.T.: -0.003 min
Response: 93767
Conc: 0.85 ug/ml

Instrument :
FID_D
ClientSampleId :




#17 Bnezo[k]fluoranthene (C30.14)

R.T.: 16.241 min
Delta R.T.: -0.035 min
Response: 93767
Conc: 0.88 ug/ml




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.617 min
Delta R.T.: -0.003 min
Response: 111080
Conc: 1.11 ug/ml



#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.976 min
Delta R.T.: -0.004 min
Response: 102651
Conc: 1.02 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.976 min
Delta R.T.: -0.046 min
Response: 102651
Conc: 1.02 ug/ml

Instrument :
FID_D
ClientSampleId :