

rteres

Area Percent Report

Instrument :
FID_D
ClientSampleId :
WC-1MSD

Manual Integrations
APPROVED

Ankita
4/15/2021 12:06:22 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD041421AR\
Data File : FD036915.D
Signal(s) : FID2B.CH
Acq On : 14 Apr 2021 22:00
Sample : M1982-02MSD
Misc :
ALS Vial : 62 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 032321.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.386	4.365	4.429	VB	596678	5043938	75.16%	4.258%
2	5.924	5.885	5.956	BB	635548	5659897	84.34%	4.778%
3	6.977	6.931	7.020	BB	605012	5704955	85.01%	4.816%
4	7.588	7.546	7.629	BB	706731	6710606	100.00%	5.665%
5	8.252	8.211	8.294	BB	603963	5920524	88.23%	4.998%
6	8.449	8.408	8.489	BB	419640	4124650	61.46%	3.482%
7	8.549	8.509	8.594	BB	609283	5866916	87.43%	4.953%
8	9.328	9.284	9.371	BB	593837	5956955	88.77%	5.029%
9	9.536	9.504	9.562	BB	7616	75687	1.13%	0.064%
10	10.724	10.658	10.763	BV	569604	6104534	90.97%	5.153%
11	10.799	10.763	10.842	VB	563841	5838969	87.01%	4.929%
12	11.488	11.440	11.532	BV	450063	4869173	72.56%	4.111%
13	12.535	12.500	12.579	VB	530464	6056128	90.25%	5.113%
14	12.832	12.784	12.857	BV	521063	5915044	88.14%	4.994%
15	12.880	12.857	12.894	VV	8012	90351	1.35%	0.076%
16	14.096	14.058	14.124	BV	11900	149129	2.22%	0.126%
17	14.701	14.648	14.720	BV	427071	5395703	80.41%	4.555%
18	14.746	14.721	14.764	M	474702	5667454	84.46%	4.784%
19	16.251	16.196	16.266	BV	391910	5728281	85.36%	4.836%
20	16.286	16.266	16.319	VB	475398	5445310	81.14%	4.597%
21	16.558	16.522	16.584	BV	9424	124508	1.86%	0.105%
22	16.631	16.584	16.674	PB	430116	5643283	84.09%	4.764%
23	17.995	17.938	18.009	BV	358438	5421867	80.80%	4.577%
24	18.034	18.009	18.083	VB	398817	5372494	80.06%	4.535%
25	18.253	18.199	18.297	BB	384100	5568386	82.98%	4.701%

Sum of corrected areas: 118454741

Aromatic EPH 032321.M Thu Apr 15 09:23:55 2021