

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD042123AR\
 Data File : FD045525.D
 Signal(s) : FID2B.ch
 Acq On : 21 Apr 2023 22:49
 Operator : YP/AJ
 Sample : 20 PPM AROMATIC HC STD
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Instrument :
 FID_D
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Apr 22 03:53:06 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 042123.M
 Quant Title : GC Extractables
 QLast Update : Sat Apr 22 03:42:26 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18µm

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.546	2754021	19.074 ug/ml
Spiked Amount 50.000		Recovery =	38.15%
6) S 2-Fluorobiphenyl (SURR)	8.401	1776562	19.083 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	38.17%
11) S ortho-Terphenyl (SURR)	11.440	3400596	19.013 ug/ml
Spiked Amount 50.000		Recovery =	38.03%
Target Compounds			
1) T 1,2,3-Trimethylbenzen...	4.354	3209425	19.183 ug/ml
2) T Naphthalene (C11.7)	5.886	3272474	19.125 ug/ml
3) T 2-Methylnaphthalene (...)	6.934	3236386	19.160 ug/ml
5) T Acenaphthylene (C15.06)	8.205	2906538	19.234 ug/ml
7) T Acenaphthene (C15.5)	8.501	3093400	19.100 ug/ml
8) T Fluorene (C16.55)	9.279	2931871	19.066 ug/ml
9) T Phenanthrene (C19.36)	10.669	2814715	18.895 ug/ml
10) T Anthracene (C19.43)	10.743	2638863	20.470 ug/ml
12) T Fluoranthene (C21.85)	12.472	2757898	18.753 ug/ml
13) T Pyrene (C20.8)	12.767	2709789	18.899 ug/ml
14) T Benzo[a]anthracene (C...	14.631	2499548	19.130 ug/ml
15) T Chrysene (C27.41)	14.673	2626054	19.276 ug/ml
16) T benzo[b]fluoranthene ...	16.172	2513388	18.869 ug/ml
17) T Bnezo[k]fluoranthene ...	16.204	2499824	18.691 ug/ml
18) T Benzo[a]pyrene (C31.34)	16.547	2394788	18.788 ug/ml
19) T Indeno[1,2,3-cd]pyren...	17.902	2094656	16.942 ug/ml
20) T Dibenz[a,h]anthracene...	17.944	2144914	16.033 ug/ml
21) T Benzo[g,h,i]perylene ...	18.156	2351374	18.111 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD042123AR\
Data File : FD045525.D
Signal(s) : FID2B.ch
Acq On : 21 Apr 2023 22:49
Operator : YP/AJ
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 61 Sample Multiplier: 1

Instrument :
FID_D
ClientSampleId :

Integration File: autoint1.e
Quant Time: Apr 22 03:53:06 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 042123.M
Quant Title : GC Extractables
QLast Update : Sat Apr 22 03:42:26 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18µm






#1 1,2,3-Trimethylbenzene (C10.1)


R.T.: 4.354 min
Delta R.T.: 0.000 min
Response: 3209425
Conc: 19.18 ug/ml

Instrument :
FID_D
ClientSampleId :




#2 Naphthalene (C11.7)

R.T.: 5.886 min
Delta R.T.: 0.000 min
Response: 3272474
Conc: 19.12 ug/ml




#3 2-Methylnaphthalene (C12.89)

R.T.: 6.934 min
Delta R.T.: 0.000 min
Response: 3236386
Conc: 19.16 ug/ml



#4 2-Bromonaphthalene (SURR)


R.T.: 7.546 min
Delta R.T.: 0.000 min
Response: 2754021
Conc: 19.07 ug/ml



#5 Acenaphthylene (C15.06)


R.T.: 8.205 min
Delta R.T.: 0.000 min
Response: 2906538
Conc: 19.23 ug/ml

Instrument :
FID_D
ClientSampleId :




#6 2-Fluorobiphenyl (SURR)

R.T.: 8.401 min
Delta R.T.: 0.000 min
Response: 1776562
Conc: 19.08 ug/ml




#7 Acenaphthene (C15.5)

R.T.: 8.501 min
Delta R.T.: 0.000 min
Response: 3093400
Conc: 19.10 ug/ml



#8 Flouorene (C16.55)


R.T.: 9.279 min
Delta R.T.: 0.000 min
Response: 2931871
Conc: 19.07 ug/ml



#9 Phenanthrene (C19.36)


R.T.: 10.669 min
Delta R.T.: 0.000 min
Response: 2814715
Conc: 18.89 ug/ml

Instrument :
FID_D
ClientSampleId :




#10 Anthracene (C19.43)

R.T.: 10.743 min
Delta R.T.: 0.000 min
Response: 2638863
Conc: 20.47 ug/ml




#11 ortho-Terphenyl (SURR)

R.T.: 11.440 min
Delta R.T.: 0.000 min
Response: 3400596
Conc: 19.01 ug/ml



#12 Fluoranthene (C21.85)


R.T.: 12.472 min
Delta R.T.: 0.000 min
Response: 2757898
Conc: 18.75 ug/ml



#13 Pyrene (C20.8)


R.T.: 12.767 min
Delta R.T.: 0.000 min
Response: 2709789
Conc: 18.90 ug/ml

Instrument :
FID_D
ClientSampleId :




#14 Benzo[a]anthracene (C26.37)

R.T.: 14.631 min
Delta R.T.: 0.000 min
Response: 2499548
Conc: 19.13 ug/ml




#15 Chrysene (C27.41)

R.T.: 14.673 min
Delta R.T.: 0.000 min
Response: 2626054
Conc: 19.28 ug/ml



#16 benzo[b]fluoranthene (C30.41)


R.T.: 16.172 min
Delta R.T.: 0.000 min
Response: 2513388
Conc: 18.87 ug/ml



#17 Bnezo[k]fluoranthene (C30.14)


R.T.: 16.204 min
Delta R.T.: -0.001 min
Response: 2499824
Conc: 18.69 ug/ml

Instrument :
FID_D
ClientSampleId :




#18 Benzo[a]pyrene (C31.34)

R.T.: 16.547 min
Delta R.T.: 0.000 min
Response: 2394788
Conc: 18.79 ug/ml




#19 Indeno[1,2,3-cd]pyrene (C35.01)

R.T.: 17.902 min
Delta R.T.: -0.001 min
Response: 2094656
Conc: 16.94 ug/ml



#20 Dibenz[a,h]anthracene (C30.36)

R.T.: 17.944 min
Delta R.T.: -0.002 min
Response: 2144914
Conc: 16.03 ug/ml



#21 Benzo[g,h,i]perylene (C34.01)

R.T.: 18.156 min

Delta R.T.: -0.002 min

Response: 2351374

Conc: 18.11 ug/ml

Instrument :

FID_D

ClientSampleId :