

rters

Instrument :

FID_D

LabSampleId :

20 PPM AROMATIC HC STD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/25/2022

Supervised By :mohammad ahmed 04/25/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD04222
Data File : FD042055.D
Signal(s) : FID2B.CH
Acq On : 23 Apr 2022 00:25
Sample : 20 PPM AROMATIC HC STD
Misc :
ALS Vial : 52 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aromatic EPH 042122.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.154	4.131	4.438	BB	302965	3088233	87.30%	5.127%
2	5.676	5.645	6.115	BB	204378	3095298	87.50%	5.139%
3	6.722	6.698	6.991	PV	182576	2751045	77.77%	4.567%
4	7.332	7.281	7.731	BB	192003	2769937	78.30%	4.599%
5	7.981	7.928	8.161	BV	249361	3127210	88.40%	5.192%
6	8.184	8.161	8.247	VV	95260	1491457	42.16%	2.476%
7	8.273	8.247	8.635	VB	274959	3537593	100.00%	5.873%
8	9.053	8.981	9.281	BV	193396	2934115	82.94%	4.871%
9	10.438	10.401	10.493	BV	221941	2901507	82.02%	4.817%
10	10.515	10.493	10.961	VB	162422	3139939	88.76%	5.213%
11	11.205	11.168	11.358	BV	294053	3300629	93.30%	5.480%
12	12.239	12.215	12.421	VV	198652	3008707	85.05%	4.995%
13	12.531	12.505	12.888	VB	202485	3115096	88.06%	5.172%
14	14.402	14.374	14.422	PV	206224	2431970	68.75%	4.038%
15	14.442	14.422	14.838	VB	164837	3356133	94.87%	5.572%
16	15.947	15.901	15.962	BV	215432	2581403	72.97%	4.286%
17	15.977	15.962	16.271	VB	175147	3171655	89.66%	5.266%
18	16.327	16.271	16.430	BV	135745	2619076	74.04%	4.348%
19	17.691	17.661	17.711	BV	144244	1971109	55.72%	3.272%
20	17.729	17.711	17.907	VV	129696	3118452	88.15%	5.177%
21	17.938	17.907	18.128	VV	137202	2723776	77.00%	4.522%
Sum of corrected areas:						60234338		

Aromatic EPH 042122.M Mon Apr 25 11:57:50 2022