

Instrument :
FID_D
ClientSampleId :
TP-3-COMPMS

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
4/28/2021 3:43:18 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD042721AL\
Data File : FD037178.D
Signal(s) : FID2B.CH
Acq On : 27 Apr 2021 16:16
Sample : M2152-01MS
Misc :
ALS Vial : 62 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 042121.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.281	3.252	3.321	BB	605645	4847563	74.63%	2.130%
2	4.341	4.307	4.359	BV	654296	5671997	87.32%	2.493%
3	4.379	4.359	4.416	VB	694184	5771490	88.85%	2.537%
4	5.913	5.876	5.948	BB	724662	6475710	99.69%	2.846%
5	6.349	6.313	6.385	BB	629589	6082549	93.64%	2.673%
6	6.966	6.920	7.006	BB	684772	6399277	98.52%	2.812%
7	7.576	7.535	7.617	BB	592680	5620049	86.52%	2.470%
8	8.139	8.074	8.173	BV	599974	6135998	94.46%	2.697%
9	8.242	8.209	8.284	PB	670624	6495707	100.00%	2.855%
10	8.439	8.396	8.479	BB	375911	3686411	56.75%	1.620%
11	8.539	8.494	8.570	BB	639414	6388360	98.35%	2.808%
12	9.319	9.275	9.362	BB	612154	6331181	97.47%	2.783%
13	9.526	9.495	9.552	BB	7891	78542	1.21%	0.035%
14	9.732	9.687	9.772	BB	586364	6166485	94.93%	2.710%
15	10.715	10.649	10.753	BV	584239	6234735	95.98%	2.740%
16	10.791	10.753	10.833	PB	572330	6160223	94.84%	2.707%
17	11.169	11.121	11.204	BB	559775	6178808	95.12%	2.716%
18	11.478	11.434	11.519	BB	330270	3466638	53.37%	1.524%
19	12.073	12.038	12.104	BB	22697	227728	3.51%	0.100%
20	12.472	12.424	12.495	BV	493074	5856420	90.16%	2.574%
21	12.527	12.495	12.568	VB	526045	6071625	93.47%	2.668%
22	12.824	12.771	12.850	BV	527880	6029651	92.83%	2.650%
23	12.909	12.883	12.943	VB	221433	2542926	39.15%	1.118%
24	13.080	13.033	13.117	BB	499843	5746113	88.46%	2.525%
25	13.664	13.612	13.701	BB	470650	5681008	87.46%	2.497%
26	14.086	14.025	14.114	BB	10591	138172	2.13%	0.061%
27	14.694	14.642	14.712	BV	438270	5714748	87.98%	2.512%
28	14.740	14.712	14.750	VV	541930	6491415	99.93%	2.853%
29	14.761	14.750	14.792	VB	442966	4902562	75.47%	2.155%
30	15.132	15.094	15.194	BB	24113	366631	5.64%	0.161%
31	15.778	15.731	15.820	BB	439001	5537625	85.25%	2.434%
32	16.246	16.185	16.260	BV	414704	6035758	92.92%	2.653%
33	16.281	16.260	16.310	VB	504566	5856112	90.15%	2.574%
34	16.626	16.572	16.662	BB	442708	5981862	92.09%	2.629%
35	16.722	16.670	16.755	BB	416123	5682076	87.47%	2.497%
36	17.385	17.345	17.418	BB	7108	93392	1.44%	0.041%

rteres							
37	17.456	17.421	17.476	BV	6216	72222	1.11% 0.032%
38	17.605	17.551	17.643	BB	411560	5563783	85.65% 2.445%
39	17.991	17.894	18.004	BV	378376	5810293	89.45% 2.554%
40	18.030	18.004	18.061	VB	436217	5760136	88.68% 2.532%
41	18.249	18.182	18.290	BB	396379	5915506	91.07% 2.600%
42	18.431	18.376	18.467	BB	400343	5511210	84.84% 2.422%
43	19.211	19.154	19.244	BB	407332	5569161	85.74% 2.448%
44	19.946	19.900	19.977	M	386375	5392843	83.02% 2.370%
45	20.656	20.604	20.690	M	345194	5324897	81.98% 2.340%
46	21.506	21.429	21.563	BB	249377	5467109	84.16% 2.403%
Sum of corrected areas:						227534705	

Instrument :
FID_D
ClientSampleId :
TP-3-COMPMS

Manual Integrations
APPROVED

Ankita
4/28/2021 3:43:18 PM

Alaphatic EPH 042121.M Wed Apr 28 11:44:43 2021