

Instrument :
FID_D
ClientSampleId :
TP-3-COMPMSD

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
4/28/2021 3:43:20 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_D\Data\FD042721AL\
Data File : FD037179.D
Signal(s) : FID2B.CH
Acq On : 27 Apr 2021 16:55
Sample : M2152-01MSD
Misc :
ALS Vial : 63 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Alaphatic EPH 042121.M
Title : GC Extractables

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.280	3.249	3.317	BB	599899	4836547	74.76%	2.128%
2	4.341	4.304	4.359	BV	661731	5662863	87.53%	2.491%
3	4.379	4.359	4.414	VB	671453	5763647	89.09%	2.536%
4	5.913	5.878	5.948	BB	720685	6464030	99.91%	2.844%
5	6.349	6.309	6.385	BB	633474	6057461	93.63%	2.665%
6	6.965	6.919	7.009	BB	667922	6378176	98.58%	2.806%
7	7.576	7.535	7.618	BB	587764	5636747	87.12%	2.480%
8	8.139	8.071	8.167	BV	584299	6109588	94.43%	2.688%
9	8.242	8.209	8.284	VB	651155	6469803	100.00%	2.846%
10	8.438	8.399	8.477	BB	375341	3697886	57.16%	1.627%
11	8.539	8.499	8.579	BB	652078	6365582	98.39%	2.801%
12	9.319	9.259	9.355	BB	631158	6311612	97.55%	2.777%
13	9.525	9.475	9.552	BB	7694	82018	1.27%	0.036%
14	9.731	9.687	9.775	BB	582550	6139670	94.90%	2.701%
15	10.715	10.683	10.755	VV	579674	6191499	95.70%	2.724%
16	10.790	10.755	10.832	PB	572782	6136428	94.85%	2.700%
17	11.168	11.121	11.201	BB	554434	6153952	95.12%	2.707%
18	11.477	11.434	11.519	BB	325905	3485347	53.87%	1.533%
19	12.073	12.039	12.107	BB	22592	223363	3.45%	0.098%
20	12.471	12.424	12.495	BV	503461	5830993	90.13%	2.565%
21	12.527	12.495	12.569	VB	526517	6051902	93.54%	2.663%
22	12.823	12.773	12.850	BV	537562	6014417	92.96%	2.646%
23	12.909	12.882	12.941	VB	223498	2558052	39.54%	1.125%
24	13.080	13.032	13.112	BB	500999	5723343	88.46%	2.518%
25	13.664	13.619	13.700	BB	470268	5666229	87.58%	2.493%
26	14.085	14.024	14.114	BB	10410	136217	2.11%	0.060%
27	14.693	14.642	14.712	BV	444452	5703231	88.15%	2.509%
28	14.739	14.712	14.749	VV	539679	6418758	99.21%	2.824%
29	14.760	14.749	14.791	VB	457212	4941967	76.39%	2.174%
30	15.132	15.088	15.193	BB	24424	366070	5.66%	0.161%
31	15.778	15.729	15.821	BB	430875	5515720	85.25%	2.427%
32	16.245	16.183	16.259	BV	405440	6009768	92.89%	2.644%
33	16.280	16.259	16.312	VB	503932	5828573	90.09%	2.564%
34	16.625	16.569	16.660	BB	435250	5948344	91.94%	2.617%
35	16.721	16.669	16.752	BB	423841	5666535	87.58%	2.493%
36	17.385	17.350	17.415	BB	6797	90996	1.41%	0.040%

rteres									
37	17.454	17.423	17.475	BV	6010	69935	1.08%	0.031%	
38	17.605	17.534	17.639	BB	410472	5594187	86.47%	2.461%	
39	17.990	17.894	18.003	BV	376367	5759460	89.02%	2.534%	
40	18.028	18.003	18.058	VB	443696	5780037	89.34%	2.543%	
41	18.248	18.191	18.292	BB	395357	5880306	90.89%	2.587%	
42	18.430	18.376	18.472	BB	399136	5531506	85.50%	2.434%	
43	18.820	18.800	18.854	VB	7134	105234	1.63%	0.046%	
44	19.209	19.154	19.243	BV	408177	5570627	86.10%	2.451%	
45	19.574	19.419	19.609	BB	5082	259537	4.01%	0.114%	
46	19.943	19.895	19.975	M	380487	5369232	82.99%	2.362%	
47	20.653	20.604	20.686	M	333674	5284554	81.68%	2.325%	
48	21.503	21.430	21.572	BB	248469	5455040	84.32%	2.400%	
Sum of corrected areas:					227296993				

Instrument :
FID_D
ClientSampleId :
TP-3-COMPMSD

Manual Integrations
APPROVED

Ankita
4/28/2021 3:43:20 PM

Alaphatic EPH 042121.M Wed Apr 28 11:45:17 2021